

30-039-07644

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec. 9 Twp 29 Rng 7

Name of Well/Wells or Pipeline Serviced SAN JUAN 29-7 UNIT #35

cps 270w

Elevation 6168' Completion Date 3/1/63 Total Depth 200' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 1275 lbs.

Depths anodes placed: 181', 175', 169', 164', 158'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: qb #1

RECEIVED
MAY 31 1991.
OIL CON. DIV.
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

1243

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

DATE 3-1-63WELL NAME SAN VERN 29-7 #35 CPS NO. 270WLOCATION 9-29N-7WWORK ORDER NUMBER 184-40542-50-02ANODE HOLE DEPTH 200'TOTAL DRILLING RIG TIME 6 hrsDRILLING TIME FOR RECTIFIER POLE HOLE 0

TYPE AND SIZE BIT USED _____

NUMBER SACKS MUD USED 0NUMBER SACKS LOST CIRCULATION MAT'L USED 0ANODE DEPTHS #1 181', #2 175', #3 169', #4 164' 5. 158'TOTAL LBS. COKE USED 1275 lbsANODE OUTPUTS 12 VOLTS, #1 2.0, #2 4.3, #3 4.3, #4 3.8 5. 3.6TOTAL CIRCUIT RESISTANCE: VOLTS 11.8 AMPERES 7.5 OHMS 1.57 Ω NUMBER FEET SURFACE CABLE CONDUIT 449'

DRILLING LOG (ATTACH HERETO).


FORMATION LOG (ATTACH HERETO).

REMARKS: Static $\frac{9}{5} = .67R$ 600' SE

ALL CONSTRUCTION COMPLETED

E. Paulk
SIGNATURE

GROUND BED LAYOUT SKETCH



ORIGINAL & 1 COPY
ALL REPORTS

DAILY DRILLING REPORT

LEASE SAN TOWN 29-7 WELL NO. 35

CONTRACTOR L.E. WILSON

RIG NO. D-2

REPORT NO.

DATE

19 43

MORNING

DAYLIGHT

EVENING

Driller				Total Men In Crew				Driller				Total Men In Crew				Driller				Total Men In Crew			
FROM	TO	FORMATION	WT. BIT	R.P.M.	FROM	TO	FORMATION	WT. BIT	R.P.M.	FROM	TO	FORMATION	WT. BIT	R.P.M.	FROM	TO	FORMATION	WT. BIT	R.P.M.				
0	126	Sandy clay	1549																				
126	155	Sand & shale stringers																					
155	200	Shale	1547																				
MAKE W.M.				TOTAL DEPTH 200'				MAKE				TOTAL DEPTH				MAKE				TOTAL DEPTH			
MUD RECORD				MUD, ADDITIVES USED AND RECEIVED				MUD RECORD				MUD, ADDITIVES USED AND RECEIVED				MUD RECORD				MUD, ADDITIVES USED AND RECEIVED			
Time		WT.	Vis.	Time		WT.	Vis.	Time		WT.	Vis.	Time		WT.	Vis.	Time		WT.	Vis.				
FROM		TO		TIME BREAKDOWN		FROM		TO		TIME BREAKDOWN		FROM		TO		TIME BREAKDOWN		FROM		TO		TIME BREAKDOWN	