

30-039-01691

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO

(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SW Sec. 4 Twp 29 Rng 7

Name of Well/Wells or Pipeline Serviced SAN JUAN 29-7 UNIT #34

cps 269

Elevation 6116' Completion Date 2/28/63 Total Depth 160' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used

N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 1190 lbs.

Depths anodes placed: 144', 137', 130', 124', 116'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: gb #1

RECEIVED
MAY 31 1991
CON. DIV.
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

DATE 2-28-63

WELL NAME SAN JUAN 29-7 #34 CPS NO. 269W

LOCATION 4-29N-7W

WORK ORDER NUMBER 184-40542-50-02

ANODE HOLE DEPTH 160

TOTAL DRILLING RIG TIME 6 hrs

DRILLING TIME FOR RECTIFIER POLE HOLE _____

TYPE AND SIZE BIT USED _____

NUMBER SACKS MUD USED 0

NUMBER SACKS LOST CIRCULATION MAT'L USED 0

ANODE DEPTHS #1 144, #2 137', #3 130', #4 124' 5.116

TOTAL LBS. COKE USED 1190 lbs

ANODE OUTPUTS 12 VOLTS, #1 2.0, #2 2.0, #3 3.2, #4 3.7 5.3.6

TOTAL CIRCUIT RESISTANCE: VOLTS 11.8 AMPERES 7.3 OHMS 1.62

NUMBER FEET SURFACE CABLE CONDUIT 335'

DRILLING LOG (ATTACH HERETO).

FORMATION LOG (ATTACH HERETO).

REMARKS: ST&T: C %S = 68R 600E

ALL CONSTRUCTION COMPLETED

E. P. Rauh
SIGNATURE

GROUND BED LAYOUT SKETCH



ORIGINAL & 1 COPY
ALL REPORTS

997

1969

EVENING