

30-039-07759

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SW Sec. 25 Twp 30 Rng 7

Name of Well/Wells or Pipeline Serviced SAN JUAN 30-6 UNIT #79

cps 209w

Elevation 6386' Completion Date 4/12/63 Total Depth 120' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 850 lbs.

Depths anodes placed: 95', 89', 83', 77', 71'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: qb #1

RECEIVED
MAY 31 1991
OIL CON. DIV.
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

72

DATE 12 April 63

WELL NAME McElvain No 6-A CPS NO. 209-W

LOCATION 5th Sec. 25 T30NR.7W

WORK ORDER NUMBER 184-40542-50-02

ANODE HOLE DEPTH 120

TOTAL DRILLING RIG TIME 8 Hrs.

DRILLING TIME FOR RECTIFIER POLE HOLE 0

TYPE AND SIZE BIT USED 6 1/4 Rock W/M 1547 X

NUMBER SACKS MUD USED 3

NUMBER SACKS LOST CIRCULATION MAT'L USED 2

ANODE DEPTHS #1 95, #2 89, #3 83, #4 77 5 71

TOTAL LBS. COKE USED 850 10 sacks

ANODE OUTPUTS 12.2 VOLTS, #1 3.1, #2 2.9, #3 2.9, #4 3.0 5 2.5

TOTAL CIRCUIT RESISTANCE: VOLTS 11.8 AMPERES 7.0 OHMS 1.68

NUMBER FEET SURFACE CABLE-CONDUIT 355

DRILLING LOG (ATTACH HERETO).

FORMATION LOG (ATTACH HERETO).

REMARKS: Static c/s .72 R. West. 600'

Good All Rectifier 28V 12A

Ser. # 62C 6262


Tag # 209W

N

ALL CONSTRUCTION COMPLETED

Forreels
SIGNATURE

GROUND BED LAYOUT SKETCH



ORIGINAL & 1 COPY
ALL REPORTS

850'

WELL NO. 6-A

LEASE SEC 25 T30N R20W

CONTRACTOR

J. E. Nelson

RIG NO. D-6

REPORT NO.

DATE April 11 & 12 1965

MORNING

DAYLIGHT

EVENING

Driller					Total Man In Crew					Driller					Total Man In Crew				
FROM	TO	FORMATION	WT. BIT	R.P.M.	FROM	TO	FORMATION	WT. BIT	R.P.M.	FROM	TO	FORMATION	WT. BIT	R.P.M.	FROM	TO	FORMATION	WT. BIT	R.P.M.
0	10	shale	1000		55	69	shale	1000		94	80	shale	1000						
10	40	shale	1		69	63	shale	1		80	88	shale	1						
40	50	shale	1		63	68	shale	1		88	100	shale	1						
50	55	shale	1		68	94	shale	1		100	120	shale	1						
NO. DC					NO. DC					NO. DC					NO. DC				
SIZE					SIZE					SIZE					SIZE				
LENG					LENG					LENG					LENG				
STANDS					STANDS					STANDS					STANDS				
SINGLES					SINGLES					SINGLES					SINGLES				
DOWN ON KELLY					DOWN ON KELLY					DOWN ON KELLY					DOWN ON KELLY				
TOTAL DEPTH					TOTAL DEPTH					TOTAL DEPTH					TOTAL DEPTH				
MUD RECORD					MUD RECORD					MUD RECORD					MUD RECORD				
MUD ADDITIVES USED AND RECEIVED					MUD ADDITIVES USED AND RECEIVED					MUD ADDITIVES USED AND RECEIVED					MUD ADDITIVES USED AND RECEIVED				
Time	WT.	VIS.			Time	WT.	VIS.			Time	WT.	VIS.			Time	WT.	VIS.		
FROM	TO	TIME BREAKDOWN			FROM	TO	TIME BREAKDOWN			FROM	TO	TIME BREAKDOWN			FROM	TO	TIME BREAKDOWN		

REMARKS -

April 11 - Pulled 60' sand shale 3 hrs 15' and 1' sand shale 2 hrs 10'

REMARKS -

8 APR 2

REMARKS -

SIGNED: Toolpusher

Company Supervisor

Murray T. Thompson
J. E. Nelson