

680

32- 30-045-28231

E

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator Bonnerville Fuels Corp. Location: Unit NE Sec. 24 Twp 27 Rng 11

Name of Well/Wells or Pipeline Serviced Fullerton Fed, 24-32

1850 FNL, 1850 FEL

Elevation 6194 Completion Date 5-20-91 Total Depth 300' Land Type* F

Casing, Sizes, Types & Depths NA-None

If Casing is cemented, show amounts & types used NA-None

If Cement or Bentonite Plugs have been placed, show depths & amounts used
NA-None

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. First & only clear water
streak at 180' Depth.

Depths gas encountered: NA-None

Type & amount of coke breeze used: Loresco SW 99.9% Carbon = 1,100 LBS.

Depths anodes placed: 235', 245', 255', 265', 275' & 285' Deep.

Depths vent pipes placed: 0 to 300' Deep.

Vent pipe perforations: Laser Cut Slots from 200' to 300' Deep.

Remarks: Solid 1" dia. PVC vent pipe from 0' to 200' Deep.

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Federal
If Federal or Indian, add Lease Number.

RECEIVED

MAY 28 1991

OIL CON. DIV.
DIST. 3

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator Bonneville Fuels Corp. Location: Unit NE Sec. 24 Twp 27 Rng 11

Name of Well/Wells or Pipeline Serviced Fullerton Fed. 24-32

1850 FNL & 1850 FEL

Elevation 6194 Completion Date 5-20-91 Total Depth 300' Land Type* F

Casing, Sizes, Types & Depths NA-None

If Casing is cemented, show amounts & types used NA-None

If Cement or Bentonite Plugs have been placed, show depths & amounts used
NA-None

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. First & only clear water
streak at 180' Depth.

Depths gas encountered: NA-None

Type & amount of coke breeze used: Loresco SW 99.9% Carbon = 1,100 LBS.

Depths anodes placed: 235', 245', 255', 265', 275' & 285' Deep.

Depths vent pipes placed: 0 to 300' Deep.

Vent pipe perforations: Laser Cut Slots from 200' to 300' Deep.

Remarks: Solid 1" dia. PVC vent pipe from 0' to 200' Deep.

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Prop.
If Federal or Indian, add Lease Number.

RECEIVED

MAY 28 1991

OIL COMPANY

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator Bonnerville Fuels Corp. Location: Unit NE Sec. 24 Twp 27 Rng 11

Name of Well/Wells or Pipeline Serviced Fullerton Fed, 24-32

1850 FNL & 1850 FEL

Elevation 6194 Completion Date 5-20-91 Total Depth 300' Land Type* F

Casing, Sizes, Types & Depths NA-None

If Casing is cemented, show amounts & types used NA-None

If Cement or Bentonite Plugs have been placed, show depths & amounts used
NA-None

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. First & only clear water
streak at 180' depth.

Depths gas encountered: NA-None

Type & amount of coke breeze used: Loresco SW 99.9% Carbon = 1,100 LBS.

Depths anodes placed: 235', 245', 255', 265', 275' & 285' Deep.

Depths vent pipes placed: 0 to 300' Deep.

Vent pipe perforations: Laser Cut Slots from 200' to 300' Deep.

Remarks: Solid 1" dia. PVC vent pipe from 0' to 200' Deep.

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Federal
If Federal or Indian, add Lease Number.

RECEIVED

MAY 28 1991

OIL CON. DIV.
DIST. 3