

14-30-045-28396

E

685

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO

(Submit 3 copies to OCD Aztec Office)

Operator Bonnerville Fuels Corp. Location: Unit SW Sec. 25 Twp 27 Rng 11

Name of Well/Wells or Pipeline Serviced Scott E Fed, #25-14

1190' FSL & 360' FWL

Elevation 6529 Completion Date 5-15-91 Total Depth 300' Land Type* F

Casing, Sizes, Types & Depths 80' + 8" o.c. 8" I.D., 8 5/8" O.D.,
Schedule 40, B.E., PVC Casing.

If Casing is cemented, show amounts & types used NA-None

If Cement or Bentonite Plugs have been placed, show depths & amounts used
NA-None

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. First + Only Water (Clear) Streak
at 95 Foot Depth.

Depths gas encountered: NA-None

Type & amount of coke breeze used: CARBO 40, 99.9% Carbon, 1,250 LBS,

Depths anodes placed: 225', 235', 245', 255', 265' + 275' Deep.

Depths vent pipes placed: 0' to 300' Deep.

Vent pipe perforations: Laser Cut Slots from 120' to 300' Deep

Remarks: Solid 1" dia. PVC (vent) pipe from 0' to 120' Deep

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Private.
If Federal or Indian, add Lease Number.

RECEIVED

MAY 28 1991

OK CC

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO

(Submit 3 copies to OCD Aztec Office)

Operator Bonnerville Fuels Corp. Location: Unit SW Sec. 25 Twp 27 Rng 11

Name of Well/Wells or Pipeline Serviced Scott E Fed, #25-14

1190' FSL & 360' FWL

Elevation 6529 Completion Date 5-15-91 Total Depth 300' Land Type* F

Casing, Sizes, Types & Depths 80' + 8" o.c. 8" I.D., 8 5/8" O.D.,
Schedule 40, B.E., PVC Casing.

If Casing is cemented, show amounts & types used NA-None

If Cement or Bentonite Plugs have been placed, show depths & amounts used
NA-None

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. First + Only Water (Clear) Streak
at 95 Foot Depth.

Depths gas encountered: NA-None

Type & amount of coke breeze used: CARBO 40, 99.9% Carbon, 1,250 LBS,

Depths anodes placed: 225', 235', 245', 255', 265' + 275' Deep.

Depths vent pipes placed: 0' to 300' Deep.

Vent pipe perforations: Laser Cut Slots from 120' to 300' Deep

Remarks: Solid 1" dia. PVC (vent) pipe from 0' to 120' Deep

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Private
If Federal or Indian, add Lease Number.

RECEIVED

MAY 28 1991

CON. DIV.

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO

(Submit 3 copies to OCD Aztec Office)

Operator Bonnerville Fuels Corp. Location: Unit SW Sec. 25 Twp 27 Rng 11

Name of Well/Wells or Pipeline Serviced Scott E Fed, #25-14

1190' FSL & 360' FWL

Elevation 6529 Completion Date 5-15-91 Total Depth 300' Land Type* F

Casing, Sizes, Types & Depths 80' + 8" O.D. 8" I.D., 8 5/8" O.D.,
Schedule 40, B.E., PVC Casing.

If Casing is cemented, show amounts & types used NA - None

If Cement or Bentonite Plugs have been placed, show depths & amounts used

NA - None

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. First + Only Water (Clear) Streak
at 95 Foot Depth.

Depths gas encountered: NA - None

Type & amount of coke breeze used: CARBO 40, 99.9% Carbon, 1,250 LBS,

Depths anodes placed: 225', 235', 245', 255', 265' + 275' Deep

Depths vent pipes placed: 0' to 300' Deep

Vent pipe perforations: Laser Cut Slots from 120' to 300' Deep

Remarks: Solid 1" dia. PVC (vent) pipe from 0' to 120' Deep

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fe
If Federal or Indian, add Lease Number.

RECEIVED
MAY 28 1991
OIL CON. DIV.
DIST. 3