

683

41- 30-45-28425

E

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator Bonneville Fuels Corp. Location: Unit NE Sec. 15 Twp 22 Rng 11

Name of Well/Wells or Pipeline Serviced Fullerton Fed #15-41

790' FNL & 790' FEL

Elevation 6310 Completion Date 5-16-91 Total Depth 300' Land Type* F

Casing, Sizes, Types & Depths NA-None

If Casing is cemented, show amounts & types used NA-None

If Cement or Bentonite Plugs have been placed, show depths & amounts used
NA-None

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. First 100' streak of clear
water at 120' Depth

Depths gas encountered: NA-None

Type & amount of coke breeze used: CARBO-40 - 99.8% Carbon - 1,300 LBS.

Depths anodes placed: 220', 230', 240', 250', 260' & 270' Deep

Depths vent pipes placed: 0 to 300' Deep

Vent pipe perforations: Laser Cut Slots from 140' to 300' Deep

Remarks: Solid 1" dia. PVC (vent) pipe from 0' to 140' Deep.

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Federal
If Federal or Indian, add Lease Number.

RECEIVED
MAY 28 1991
OIL CON. DIV.
DIST. 3

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator Bonneville Fuels Corp. Location: Unit NE Sec. 15 Twp 22 Rng 11

Name of Well/Wells or Pipeline Serviced Fullerton Fed #15-41

790' FNL & 790' FEL

Elevation 6310 Completion Date 5-16-91 Total Depth 300' Land Type* F

Casing, Sizes, Types & Depths NA-None

If Casing is cemented, show amounts & types used NA-None

If Cement or Bentonite Plugs have been placed, show depths & amounts used
NA-None

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. First only streak of clear
water at 120' Depth

Depths gas encountered: NA-None

Type & amount of coke breeze used: CARBO-40 - 99.8% Carbon - 1,300 LBS.

Depths anodes placed: 220', 230', 240', 250', 260' & 270' Deep

Depths vent pipes placed: 0 to 300' Deep

Vent pipe perforations: Laser Cut Slots from 140' to 300' Deep

Remarks: Solid 1" dia. PVC (vent) pipe from 0' to 140' Deep.

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Private
If Federal or Indian, add Lease Number.

RECEIVED

MAY 28 1991

OH CON. DIV
DIST 3

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator Bonneville Fuels Corp. Location: Unit NE Sec. 15 Twp 22 Rng 11

Name of Well/Wells or Pipeline Serviced Fullerton Fed #15-41

790' FNL & 790' FEL

Elevation 6310 Completion Date 5-16-91 Total Depth 300' Land Type* F

Casing, Sizes, Types & Depths NA-None

If Casing is cemented, show amounts & types used NA-None

If Cement or Bentonite Plugs have been placed, show depths & amounts used
NA-None

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. First & only streak of clear
water at 120' Depth

Depths gas encountered: NA-None

Type & amount of coke breeze used: CARBO-40 - 99.9% Carbon - 1,300 LBS.

Depths anodes placed: 220', 230', 240', 250', 260' & 270' Deep.

Depths vent pipes placed: 0 to 300' Deep

Vent pipe perforations: Laser Cut Slots from 140' to 300' Deep

Remarks: Solid 1" dia. PVC (vent) pipe from 0' to 140' Deep.

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Federal
If Federal or Indian, add Lease Number.

RECEIVED
MAY 28 1991
OIL CON. DIV.
DIST. 3