

E

679

42-30-045-28516

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator Bonneville Fuels Corp. Location: Unit NE Sec. 23 Twp 27 Rng 11

Name of Well/Wells or Pipeline Serviced Scott "E" Federal #23-42

Elevation 6084 Completion Date 5/21/91 Total Depth 300' Land Type* F

Casing, Sizes, Types & Depths NA-None

If Casing is cemented, show amounts & types used NA-None

If Cement or Bentonite Plugs have been placed, show depths & amounts used
NA-None

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. First & only water (clear) streak
at 90' Depth

Depths gas encountered: NA-None

Type & amount of coke breeze used: Woresco SW-99.9% Carbon = 1800 LBS,

Depths anodes placed: 185', 195', 205', 215', 225' & 235'

Depths vent pipes placed: 0-300' Deep, 0-100' Deep = Solid 1" dia PVC

Vent pipe perforations: Laser Cut Slots from 100' to 300' Deep

Remarks: _____

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Private.
If Federal or Indian, add Lease Number.

RECEIVED
MAY 28 1991
OIL CON: DIV
DIST 3

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator Bonnerville Fuels Corp. Location: Unit NE Sec. 23 Twp 27 Rng 11
Name of Well/Wells or Pipeline Serviced Scott "E" Federal #23-42

Elevation 6084 Completion Date 5/21/91 Total Depth 300' Land Type* F
Casing, Sizes, Types & Depths NA-None

If Casing is cemented, show amounts & types used NA-None

If Cement or Bentonite Plugs have been placed, show depths & amounts used
NA-None

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. First & only water (clear) Streak
at 90' Depth

Depths gas encountered: NA-None

Type & amount of coke breeze used: Loresuo SW-99.9% Carbon = 1800 LBS,

Depths anodes placed: 185', 195', 205', 215', 225' & 235',

Depths vent pipes placed: 0-300' Deep, 0-100' Deep = Solid 1" dia PVC

Vent pipe perforations: Laser Cut Slots from 100' to 300' Deep

Remarks: _____

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Prob.
If Federal or Indian, add Lease Number.

RECEIVED

MAY 28 1991

Oil Cont. Div.

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator Bonneville Fuels Corp. Location: Unit NE Sec. 23 Twp 27 Rng 11
Name of Well/Wells or Pipeline Serviced Scott "E" Federal #23-42

Elevation 6084 Completion Date 5/21/91 Total Depth 300' Land Type* F
Casing, Sizes, Types & Depths NA-None

If Casing is cemented, show amounts & types used NA-None

If Cement or Bentonite Plugs have been placed, show depths & amounts used
NA-None

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. First & only water (clear) Streak
at 90' Depth

Depths gas encountered: NA-None

Type & amount of coke breeze used: Loresuo SW-99.9% Carbon = 1800 LBS.

Depths anodes placed: 185', 195', 205', 215', 225' & 235'

Depths vent pipes placed: 0-300' Deep, 0-100' Deep = Solid 1" dia PVC

Vent pipe perforations: Laser Cut Slots from 100' to 300' Deep

Remarks: _____

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Free.
If Federal or Indian, add Lease Number.

RECEIVED

MAY 28 1991

OIL CON. DIV.