

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO

Operator Meridian 0il Location: Unit H Sec.29 Twp 32 Rng 10
Name of Well/Wells or Pipeline Serviced Scott #1 and #100
Elevation 6179' Completion Date 10-27-71 Total Depth 400' Land Type F
Casing Strings, Sizes, Types & Depths NA SF-078604
If Casing Strings are cemented, show amounts & types used NA
If Cement or Bentonite Plugs have been placed, show depths & amounts used
NANA
Depths & thickness of water zones with description of water: Fresh, Clear,
Salty, Sulphur, Etc. 170'. No analysis.
Depths gas encountered: NA
Ground bed depth with type & amount of coke breeze used: 400' T.D.
7,000 pounds metallurgical coke breeze
Depths anodes placed: 310', 300', 290', 280', 265', 255', 245', 235', 225', 215'
Depths vent pipes placed: TD to 24: above grade
Vent pipe perforations: Perforated 264'
Remarks:

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.