

## DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS

MB-3

482-30-045-27582 NORTHWESTERN NEW MEXICO  
(Submit 3 Copies to OCD Aztec Office)

77-30-045-25374

Operator: BLACKWOOD & NICHOLS CO. Location: Unit M, Sec. 15, Twp 31N, Rng 7W.

Name of Well/Wells or Pipeline Served NEBU 482, 77

Elevation 6360 Completion Date 8-19-93 Total Depth 480' Land Type\* Surface: F Mineral: NM-03356

Casing, Sizes, Types & Depths 8-5/8" SCH 40 P.V.C. - 100', 7-7/8" Open Hole

If Casing is cemented, show amounts & types used 20 sks Portland Zia I-II - 90# ea.

If Cement or Bentonite Plugs have been placed, show depths & amounts used N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. No water sample.

Depths gas encountered: N/A

Type & amount of coke breeze used: Asbury - 6,250#.

Depths anodes placed: 122' - 428' (15)

Depths vent pipes placed: Bottom - TD to 4' above ground level

Vent pipe perforations: Bottom - 360'

Remarks: Ground bed is located 135° from North, 193' from #482 wellhead.


If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

\*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.  
If Federal or Indian, add Lease Number.

Signed by: James K. Allen

Title: Operations Engineer

Date: 10/12/93



# BLACKWOOD & NICHOLS CATHODIC GROUND BED DRILLERS REPORT

S 15 T 31N R

[illegible]

DRILLER.

INSPECTOR

# BLACKWOOD & NICHOLS CATHODIC GROUND BED DRILLERS REPORT

CP# MB-3 WELL# N.E.B.U. #482, #77

M S 15 T 31 E

[illegible]

DRILLER

INSPECTOR