

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS

MC-5

NORTHWESTERN NEW MEXICO

(Submit 3 Copies to OCD Aztec Office)


Operator: BLACKWOOD & NICHOLS CO. Location: Unit A, Sec. 23, Twp 31N, Rng 7W.Name of Well/Wells or Pipeline Serviced NEBU 444, 71Elevation 6580' Completion Date 8-17-93 Total Depth 410' Land Type* Surface: F Mineral: SF-079010ACasing, Sizes, Types & Depths 8-5/8" SCH 40 P.V.C. - 100', 7-7/8" Open HoleIf Casing is cemented, show amounts & types used 20 sks Portland Zia I-II - 90# ea.If Cement or Bentonite Plugs have been placed, show depths & amounts used N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. No water.Depths gas encountered: N/AType & amount of coke breeze used: 88 sx Asbury flo-coke.Depths anodes placed: 170' - 330'Depths vent pipes placed: 410' to 4' above ground level.Vent pipe perforations: 130' - 410'Remarks: Groundbed is located at 165' N 25° E of NEBU #444.

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

Signed by: James K. AllenTitle: Operations EngineerDate: 10/12/93

BLACKWOOD & NICHOLS CATHODIC GROUND BED DRILLERS REPORT

CP# MC-5 WELL# NEB115444-71

S 22 T 3/11 R 74

[illegible]

DRILLER Gene Martony

INSPECTOR Joe Matyssek

BLACKWOOD & NICHOLS
CATHODIC GROUND BED
DRILLERS REPORT

P# MC#5 WELL# NEBU# 444 & 71

S 23 T 31

[illegible]

RILLER

INSPECTOR