

92 - 30-039-07735
425 - 30-039-24238

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec. 33 Twp 30 Rng 7

Name of Well/Wells or Pipeline Serviced SAN Juan 30-6 UNIT #92, #425

cps 285w

Elevation 6309 Completion Date 3/22/63 Total Depth 160' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 1190 lbs.

Depths anodes placed: 126', 120', 106', 100', 94'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: qb #1

RECEIVED
MAY 31 1991
OIL CON. DIV.
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

DATE 3-22-63

WELL NAME WHITLEY #2B 30-6-92 CPS NO. 285W

LOCATION 33-30N-7W

WORK ORDER NUMBER 184-40542-50-02

ANODE HOLE DEPTH 160'

TOTAL DRILLING RIG TIME 7hrs

DRILLING TIME FOR RECTIFIER POLE HOLE 0

TYPE AND SIZE BIT USED _____

NUMBER SACKS MUD USED 0

NUMBER SACKS LOST CIRCULATION MAT'L USED 0

ANODE DEPTHS #1 126', #2 120', #3 106', #4 100' 5.94'

TOTAL LBS. COKE USED 1190 lbs

ANODE OUTPUTS 12' VOLTS, #1 3.0, #2 3.6, #3 3.4, #4 3.7 5.3.9

TOTAL CIRCUIT RESISTANCE: VOLTS 11.5 AMPERES 9 OHMS 1.28

NUMBER FEET SURFACE CABLE ~~CONDUCT~~ 325'

DRILLING LOG (ATTACH HERETO).


FORMATION LOG (ATTACH HERETO).

REMARKS: Static $\rho/s = .67 \Omega$ 600' E

ALL CONSTRUCTION COMPLETED

E. Pankh
SIGNATURE

GROUND BED LAYOUT SKETCH



ORIGINAL & 1 COPY
ALL REPORTS

45'

DAILY DRILLING REPORT

LEASE **WATLEY** WELL NO. **2-B** CONTRACTOR **L.E. WISOR** RIG NO. **D-2** REPORT NO. **3-21** DATE **3-21** 19**65**

Driller										Total Men In Crew										Driller										Total Men In Crew										Driller										Total Men In Crew									
FROM		TO		FORMATION		WT. BIT		R.P.M.		FROM		TO		FORMATION		WT. BIT		R.P.M.		FROM		TO		FORMATION		WT. BIT		R.P.M.		FROM		TO		FORMATION		WT. BIT		R.P.M.																					
0		92		SC. F.S.S.		8504																																																					
92		116		SS		3491																																																					
116		124		SS		"																																																					
124		160		SS. 458. stringer		"																																																					
				NO. DC		SIZE		LENG.						NO. DC		SIZE		LENG.								NO. DC		SIZE		LENG.																													
BIT NO.				NO. DC		SIZE		LENG.		BIT NO.				NO. DC		SIZE		LENG.		BIT NO.				NO. DC		SIZE		LENG.		BIT NO.				NO. DC		SIZE		LENG.																					
SERIAL NO.		3504		STANDS						SERIAL NO.		3491		STANDS						SERIAL NO.		3491		STANDS						SERIAL NO.		3491		STANDS																									
SIZE		1 1/4		SINGLES						SIZE		6 3/4		SINGLES						SIZE		6 3/4		SINGLES						SIZE		6 3/4		SINGLES																									
TYPE		Rock		DOWN ON KELLY						TYPE		Rock		DOWN ON KELLY						TYPE		Rock		DOWN ON KELLY						TYPE		Rock		DOWN ON KELLY																									
MAKE		W.M.		TOTAL DEPTH		100'				MAKE		W.M.		TOTAL DEPTH						MAKE				TOTAL DEPTH						MAKE				TOTAL DEPTH																									
MUD RECORD				MUD. ADDITIVES USED AND RECEIVED						MUD RECORD				MUD. ADDITIVES USED AND RECEIVED						MUD RECORD				MUD. ADDITIVES USED AND RECEIVED						MUD RECORD				MUD. ADDITIVES USED AND RECEIVED																									
Time		WT.		VIS.						Time		WT.		VIS.						Time		WT.		VIS.						Time		WT.		VIS.																									