

73 - 30-039-07788
467- 30-039-24475

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SW Sec 22 Twp 30 Rng 7

Name of Well/Wells or Pipeline Serviced SAN JUAN 30-6 UNIT #73,

SAN JUAN 30-6 UNIT COM #467 cps 280w

Elevation 6635' Completion Date 4/2/63 Total Depth 120' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 680 lbs.

Depths anodes placed: 90', 84', 78', 72', 66'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: qb #1

RECEIVED
MAY 31 1991
OIL CON. DIV
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

DATE 4-2-63

WELL NAME McElvain No. 2 CPS NO. 280W

LOCATION SW⁴ Sec. 22 T30NR7W

WORK ORDER NUMBER 184-40542-50-02

ANODE HOLE DEPTH 120

TOTAL DRILLING RIG TIME 5 Hrs.

DRILLING TIME FOR RECTIFIER POLE HOLE 0

TYPE AND SIZE BIT USED 6 1/4 Rock W.M. #1539

NUMBER SACKS MUD USED 1

NUMBER SACKS LOST CIRCULATION MAT'L USED 0

ANODE DEPTHS #1 90, #2 84, #3 78, #4 72 #5 66

TOTAL LBS. COKE USED 680 lbs 8 Sacks

ANODE OUTPUTS 12.4 VOLTS, #1 4.4, #2 4.2, #3 4.1, #4 5.0 #5 4.6


TOTAL CIRCUIT RESISTANCE: VOLTS 11.7 AMPERES 9.0 OHMS 1.3

NUMBER FEET SURFACE CABLE-~~CONDUIT~~ 410'

DRILLING LOG (ATTACH HERETO).

FORMATION LOG (ATTACH HERETO).

REMARKS: Static G/s = .67 R 600' N



ALL CONSTRUCTION COMPLETED

Corrals
SIGNATURE

GROUND BED LAYOUT SKETCH

ORIGINAL & 1 COPY
ALL REPORTS

904

DAILY DRILLING REPORT

LEASE 88-02 7-AM S-74
WELL NO. 1-2
CONTRACTOR L. E. Wilson
RIG NO. 0-6
REPORT NO. 163
DATE April 18, 1963

MORNING										DAYLIGHT										EVENING									
Driller					Total Men In Crew					Driller					Total Men In Crew					Driller					Total Men In Crew				
FROM	TO	FORMATION	WT. BIT	R.P.M.	FROM	TO	FORMATION	WT. BIT	R.P.M.	FROM	TO	FORMATION	WT. BIT	R.P.M.	FROM	TO	FORMATION	WT. BIT	R.P.M.	FROM	TO	FORMATION	WT. BIT	R.P.M.					
0	5	Fill		150																									
5	10	Shale																											
10	15	35% of total																											
15	20	Shale																											

APRIL 1 - drilled 120' used
APRIL 2 - cor 1 1/4 hole & cle

REMARKS
1-mud - 1-winter 3-hr
mud flat, moved 2 hr

working to give America
the chance

SIGNED: Toolpusher

Company-Supervisor