

District I
100 S. N. French Dr., Hobbs, NM 88240
District II
1001 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Huerfano Rd., Artesia, NM 87410
District IV
1000 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505
Bureau of Land Management
Farmington Field Office

RECEIVED
Form 1
Revised October 12,
Instructions on
Submit to Appropriate District Office
State Lease - 4 Co
Fee Lease - 1 Co

AMENDED REPORT
RCVD MAR 25 '08
OIL CONS. DIV.

WELL LOCATION AND ACREAGE DEDICATION PLAT DIST. 3

*API Number 30-039- 30408	*Pool Code 72319 / 71599	*Pool Name BLANCO MESAVERDE / BASIN DAKOTA
*Property Code 31739	*Property Name SAN JUAN 28-7 UNIT	*Well Number 1346
*OGRID No 21/817	*Operator Name CONOCOPHILLIPS COMPANY	*Elevation 6025'

10 Surface Location


UL or lot no.	Section	Township	Range	Lot 100	Feet from the	North/South line	Feet from the	East/West line	County
D	21	28N	7W		890	NORTH	895	WEST	RIO ARriba

11 Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot 100	Feet from the	North/South line	Feet from the	East/West line	County
F	21	28N	7W		1925'	NORTH	1996'	WEST	RIO ARriba

*Dedicated Acres 320.0 Acres (W/2)	*Joint or (infill)	*Consolidation Code	*Order No.
---------------------------------------	--------------------	---------------------	------------

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



Survey Data

Date	MD (ftKB)	Incl (°)	Method	Survey Company
1/16/2008	4,892.00	4.45	MWD	Scientific Drilling
1/16/2008	4,919.00	3.47	MWD	Scientific Drilling
1/16/2008	4,965.00	1.80	MWD	Scientific Drilling
2/2/2008	7,469.00	1.00	FINAL BHS	PHOENIX

RCVD MAR 25 '08

OIL CONS. DIV.
DIST. 3

Handwritten signature/initials

I, the undersigned, certify that I acting in my capacity as Drill Engineer for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.

Handwritten signature

Subscribed and sworn to me this 3-19-08

Handwritten signature of Notary Public

Notary Public in and for San Juan County, New Mexico

My Commission expires January 10, 2011

COP Deviation Report

SAN JUAN 28-7 UNIT #134G

Survey Data					
Date	MD (ftKB)	Incl (°)	Method	Survey Company	
1/14/2008	2,416.00	27.53	MWD	Scientific Drilling	
1/14/2008	2,479.00	28.11	MWD	Scientific Drilling	
1/14/2008	2,544.00	26.90	MWD	Scientific Drilling	
1/14/2008	2,608.00	26.94	MWD	Scientific Drilling	
1/14/2008	2,671.00	25.95	MWD	Scientific Drilling	
1/14/2008	2,735.00	25.51	MWD	Scientific Drilling	
1/14/2008	2,798.00	25.91	MWD	Scientific Drilling	
1/14/2008	2,862.00	25.53	MWD	Scientific Drilling	
1/15/2008	2,925.00	25.31	MWD	Scientific Drilling	
1/15/2008	2,989.00	25.41	MWD	Scientific Drilling	
1/15/2008	3,053.00	25.38	MWD	Scientific Drilling	
1/15/2008	3,116.00	25.56	MWD	Scientific Drilling	
1/15/2008	3,180.00	26.67	MWD	Scientific Drilling	
1/15/2008	3,243.00	26.04	MWD	Scientific Drilling	
1/15/2008	3,305.00	25.57	MWD	Scientific Drilling	
1/15/2008	3,368.00	25.79	MWD	Scientific Drilling	
1/15/2008	3,432.00	25.79	MWD	Scientific Drilling	
1/15/2008	3,496.00	25.56	MWD	Scientific Drilling	
1/15/2008	3,560.00	25.58	MWD	Scientific Drilling	
1/15/2008	3,622.00	25.19	MWD	Scientific Drilling	
1/15/2008	3,684.00	24.06	MWD	Scientific Drilling	
1/15/2008	3,747.00	22.16	MWD	Scientific Drilling	
1/15/2008	3,811.00	21.81	MWD	Scientific Drilling	
1/15/2008	3,875.00	21.51	MWD	Scientific Drilling	
1/15/2008	3,938.00	22.69	MWD	Scientific Drilling	
1/15/2008	4,002.00	22.64	MWD	Scientific Drilling	
1/15/2008	4,065.00	23.68	MWD	Scientific Drilling	
1/15/2008	4,129.00	24.27	MWD	Scientific Drilling	
1/15/2008	4,191.00	22.93	MWD	Scientific Drilling	
1/16/2008	4,255.00	21.36	MWD	Scientific Drilling	
1/16/2008	4,319.00	19.82	MWD	Scientific Drilling	
1/16/2008	4,382.00	17.31	MWD	Scientific Drilling	
1/16/2008	4,446.00	14.56	MWD	Scientific Drilling	
1/16/2008	4,510.00	13.11	MWD	Scientific Drilling	
1/16/2008	4,573.00	11.15	MWD	Scientific Drilling	
1/16/2008	4,637.00	10.65	MWD	Scientific Drilling	
1/16/2008	4,701.00	9.00	MWD	Scientific Drilling	
1/16/2008	4,764.00	8.14	MWD	Scientific Drilling	
1/16/2008	4,828.00	5.77	MWD	Scientific Drilling	

I, the undersigned, certify that I acting in my capacity as _____ for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.

Subscribed and sworn to me this _____

Notary Public in and for San Juan County, New Mexico

My Commission expires _____



COP Deviation Report

SAN JUAN 28-7 UNIT #134G

Operator CONOCOPHILLIPS	Legal Well Name SAN JUAN 28-7 UNIT #134G	API / UWI 3003930408	County RIO ARRIBA	State/Province NEW MEXICO
Surface Legal Location SEC:21;TWN:028N;RNG:007W		N/S Dist (ft) 890.00	N/S Ref FNL	E/W Dist (ft) 895.00
				E/W Ref FWL

Survey Data


Date	MD (ftKB)	Incl (°)	Method	Survey Company
1/11/2008	120.00	0.75	Incl	RIG
1/11/2008	220.00	0.25	Incl	RIG
1/11/2008	320.00	0.50	Incl	RIG
1/13/2008	396.00	0.63	MWD	Scientific Drilling
1/13/2008	458.00	0.86	MWD	Scientific Drilling
1/13/2008	519.00	1.82	MWD	Scientific Drilling
1/13/2008	550.00	1.93	MWD	Scientific Drilling
1/13/2008	579.00	2.65	MWD	Scientific Drilling
1/13/2008	639.00	3.52	MWD	Scientific Drilling
1/13/2008	701.00	5.17	MWD	Scientific Drilling
1/13/2008	765.00	6.41	MWD	Scientific Drilling
1/13/2008	828.00	7.77	MWD	Scientific Drilling
1/13/2008	892.00	9.10	MWD	Scientific Drilling
1/13/2008	956.00	10.46	MWD	Scientific Drilling
1/13/2008	1,019.00	11.48	MWD	Scientific Drilling
1/13/2008	1,083.00	12.83	MWD	Scientific Drilling
1/13/2008	1,147.00	14.40	MWD	Scientific Drilling
1/13/2008	1,210.00	15.78	MWD	Scientific Drilling
1/13/2008	1,273.00	17.00	MWD	Scientific Drilling
1/14/2008	1,336.00	18.44	MWD	Scientific Drilling
1/14/2008	1,398.00	19.81	MWD	Scientific Drilling
1/14/2008	1,461.00	21.94	MWD	Scientific Drilling
1/14/2008	1,524.00	23.88	MWD	Scientific Drilling
1/14/2008	1,588.00	24.82	MWD	Scientific Drilling
1/14/2008	1,652.00	25.88	MWD	Scientific Drilling
1/14/2008	1,716.00	25.70	MWD	Scientific Drilling
1/14/2008	1,780.00	25.40	MWD	Scientific Drilling
1/14/2008	1,843.00	26.45	MWD	Scientific Drilling
1/14/2008	1,907.00	26.97	MWD	Scientific Drilling
1/14/2008	1,971.00	25.49	MWD	Scientific Drilling
1/14/2008	2,034.00	27.18	MWD	Scientific Drilling
1/14/2008	2,098.00	26.86	MWD	Scientific Drilling
1/14/2008	2,162.00	26.68	MWD	Scientific Drilling
1/14/2008	2,225.00	26.39	MWD	Scientific Drilling
1/14/2008	2,289.00	26.76	MWD	Scientific Drilling
1/14/2008	2,353.00	25.90	MWD	Scientific Drilling

I, the undersigned, certify that I acting in my capacity as _____ for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.

Subscribed and sworn to me this _____

Notary Public in and for San Juan County, New Mexico

My Commission expires _____



Scientific Drilling

RCVD MAR 25 '08

OIL CONS. DIV.

DIST. 3

CONOCOPHILLIPS


Field: San Juan
Site: San Juan County, NM
Well: San Juan 28-7 #134G
Wellpath: DH - Job #33D0108006
Survey: 01/12/08-12/19/08

This survey is correct to the best of my knowledge
and is supported by actual field data.

.....*R. Wharton*.....Company Representative

Notorized this date 19th of February, 2008.

Deborah Sue Bynum
Notary Signature
County of Midland
State of Texas





Scientific
Drilling

Scientific Drilling International Survey Report

Company: CONOCOPHILLIPS	Date: 02/18/2008	Time: 16:01:18	Page: 1
Field: San Juan	Co-ordinate(NE) Reference: Site: San Juan County, NM, True North		
Site: San Juan County, NM	Vertical (TVD) Reference: SITE 0.0		
Well: San Juan 28-7 #134G	Section (VS) Reference: Well (0.00N,0.00E,133.01Azi)		
Wellpath: DH - Job #33D0108006	Survey Calculation Method: Minimum Curvature	Db: Sybase	

Survey: 01/12/08-12/19/08 E-field 0'-4919'	Start Date: 01/12/2008
Company: Scientific Drilling Internatio	Engineer: Calvert/Heikkinen/Oleniczak/Ge
Tool: E-field/E-field MWD	Tied-to: From Surface

Survey

MD ft	Incl deg	Azim deg	TVD ft	VS ft	N/S ft	E/W ft	DLS deg/100ft	ClsD ft	ClsA deg
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
396.00	0.63	246.53	395.99	-0.87	-0.87	-2.00	0.16	2.18	246.53
458.00	0.86	234.20	457.99	-1.10	-1.27	-2.69	0.45	2.97	244.62
519.00	1.82	171.10	518.97	-0.42	-2.50	-2.91	2.66	3.84	229.32
579.00	2.65	152.44	578.93	1.64	-4.67	-2.12	1.82	5.13	204.40
639.00	3.52	141.18	638.84	4.77	-7.34	-0.32	1.76	7.34	182.52
701.00	5.17	134.64	700.66	9.44	-10.78	2.86	2.77	11.15	165.15
765.00	6.41	132.53	764.33	15.90	-15.22	7.54	1.97	16.99	153.64
828.00	7.77	131.91	826.85	23.67	-20.45	13.30	2.16	24.39	146.95
892.00	9.10	131.10	890.16	33.06	-26.66	20.34	2.09	33.53	142.66
956.00	10.46	131.45	953.22	43.92	-33.84	28.51	2.13	44.24	139.89
1019.00	11.48	130.97	1015.07	55.91	-41.73	37.53	1.63	56.12	138.04
1083.00	12.83	131.52	1077.64	69.38	-50.62	47.66	2.12	69.52	136.73
1147.00	14.40	132.58	1139.84	84.44	-60.71	58.84	2.48	84.55	135.90
1210.00	15.78	133.15	1200.66	100.84	-71.87	70.86	2.20	100.93	135.41
1273.00	17.00	132.86	1261.10	118.62	-84.00	83.86	1.94	118.69	135.05
1336.00	18.44	133.98	1321.11	137.79	-97.18	97.78	2.35	137.86	134.82
1398.00	19.81	133.52	1379.69	158.10	-111.23	112.45	2.22	158.17	134.69
1461.00	21.94	133.26	1438.55	180.55	-126.64	128.77	3.38	180.61	134.52
1524.00	23.88	133.19	1496.58	205.07	-143.44	146.64	3.08	205.13	134.37
1588.00	24.82	132.24	1554.88	231.46	-161.34	166.03	1.59	231.50	134.18
1652.00	25.88	131.48	1612.72	258.85	-179.62	186.44	1.73	258.88	133.93
1716.00	25.70	131.29	1670.34	286.68	-198.03	207.33	0.31	286.70	133.69
1780.00	26.40	131.52	1727.84	314.78	-216.62	228.41	1.11	314.79	133.48
1843.00	26.45	131.73	1784.26	342.81	-235.24	249.37	0.17	342.81	133.33
1907.00	26.97	131.67	1841.43	371.57	-254.37	270.84	0.81	371.57	133.20
1971.00	26.49	133.40	1898.59	400.35	-273.83	292.06	1.43	400.35	133.16
2034.00	27.18	132.04	1954.81	428.79	-293.12	312.95	1.47	428.79	133.13
2098.00	26.88	133.93	2011.82	457.87	-312.95	334.23	1.42	457.87	133.12
2162.00	26.68	132.84	2068.95	486.70	-332.75	355.18	0.83	486.70	133.13
2225.00	26.39	132.83	2125.32	514.85	-351.89	375.82	0.46	514.85	133.12
2289.00	26.76	132.03	2182.55	543.48	-371.21	396.96	0.80	543.48	133.08
2353.00	25.90	133.42	2239.92	571.86	-390.46	417.81	1.65	571.86	133.06
2416.00	27.53	133.27	2296.19	600.18	-409.90	438.41	2.59	600.18	133.08
2480.00	28.11	133.91	2352.79	630.05	-430.49	460.04	1.02	630.05	133.10
2544.00	26.90	133.63	2409.56	659.60	-450.94	481.38	1.90	659.60	133.13
2608.00	26.94	132.40	2466.62	688.58	-470.71	502.57	0.87	688.58	133.13
2671.00	25.95	131.92	2523.03	716.63	-489.54	523.36	1.61	716.63	133.09
2735.00	25.51	132.52	2580.68	744.41	-508.21	543.94	0.80	744.41	133.05
2798.00	25.91	132.46	2637.45	771.74	-526.67	564.09	0.64	771.74	133.03
2862.00	25.53	133.01	2695.11	799.51	-545.52	584.49	0.70	799.51	133.02
2925.00	25.31	133.38	2752.01	826.56	-564.03	604.21	0.43	826.56	133.03
2989.00	25.41	133.29	2809.84	853.97	-582.84	624.15	0.17	853.97	133.04
3053.00	25.38	134.07	2867.65	881.41	-601.79	644.00	0.52	881.41	133.06
3116.00	25.56	133.79	2924.53	908.50	-620.59	663.51	0.34	908.50	133.09
3180.00	26.67	134.03	2982.00	936.67	-640.13	683.80	1.74	936.67	133.11
3243.00	26.04	133.24	3038.45	964.63	-659.43	704.04	1.14	964.63	133.13
3305.00	25.57	132.54	3094.27	991.62	-677.80	723.81	0.90	991.62	133.12
3368.00	25.79	132.06	3151.04	1018.92	-696.17	744.01	0.48	1018.92	133.10



Scientific
Drilling

Scientific Drilling International


Survey Report

Company: CONOCOPHILLIPS
Field: San Juan
Site: San Juan County, NM
Well: San Juan 28-7 #134G
Wellpath: DH - Job #33D0108006

Date: 02/18/2008 Time: 16:01:18 Page: 2
Co-ordinate(NE) Reference: Site: San Juan County, NM, True North
Vertical (TVD) Reference: SITE 0.0
Section (VS) Reference: Well (0.00N,0.00E,133.01Azi)
Survey Calculation Method: Minimum Curvature Db: Sybase


Survey

MD ft	Incl deg	Azim deg	TVD ft	VS ft	N/S ft	E/W ft	DLS deg/100ft	ClsD ft	ClsA deg
3432.00	25.79	131.04	3208.67	1046.75	-714.64	764.84	0.69	1046.75	133.06
3496.00	25.56	132.95	3266.35	1074.47	-733.19	785.45	1.34	1074.47	133.03
3560.00	25.58	131.98	3324.08	1102.10	-751.84	805.83	0.65	1102.10	133.01
3622.00	25.19	132.54	3380.10	1128.67	-769.71	825.50	0.74	1128.67	133.00
3684.00	24.06	130.72	3436.46	1154.50	-786.88	844.80	2.19	1154.50	132.97
3747.00	22.16	130.64	3494.40	1179.20	-802.99	863.55	3.02	1179.20	132.92
3811.00	21.81	131.08	3553.75	1203.14	-818.67	881.67	0.60	1203.15	132.88
3875.00	21.51	131.25	3613.23	1226.75	-834.22	899.46	0.48	1226.76	132.84
3938.00	22.69	133.79	3671.60	1250.45	-850.24	916.91	2.41	1250.46	132.84
4002.00	22.64	133.26	3730.66	1275.11	-867.22	934.79	0.33	1275.12	132.85
4065.00	23.68	133.54	3788.58	1299.89	-884.25	952.80	1.66	1299.89	132.86
4129.00	24.27	133.50	3847.06	1325.89	-902.16	971.65	0.92	1325.90	132.88
4191.00	22.93	133.85	3903.87	1350.71	-919.30	989.61	2.17	1350.71	132.89
4255.00	21.36	133.15	3963.15	1374.83	-935.91	1007.10	2.49	1374.84	132.90
4319.00	19.62	133.40	4023.10	1397.24	-951.26	1023.41	2.72	1397.24	132.91
4382.00	17.31	134.44	4082.85	1417.18	-965.09	1037.79	3.70	1417.19	132.92
4446.00	14.56	134.67	4144.38	1434.75	-977.42	1050.31	4.30	1434.75	132.94
4510.00	13.11	134.56	4206.52	1450.05	-988.17	1061.21	2.27	1450.05	132.96
4573.00	11.15	137.89	4268.12	1463.26	-997.70	1070.38	3.30	1463.26	132.99
4637.00	10.65	138.24	4330.96	1475.31	-1006.70	1078.47	0.79	1475.31	133.03
4701.00	9.00	139.86	4394.02	1486.17	-1014.94	1085.64	2.61	1486.17	133.07
4764.00	8.14	143.60	4456.32	1495.45	-1022.30	1091.46	1.63	1495.45	133.13
4828.00	5.77	142.86	4519.84	1503.08	-1028.51	1096.09	3.71	1503.08	133.18
4892.00	4.45	143.53	4583.59	1508.69	-1033.07	1099.51	2.06	1508.70	133.22
4919.00	3.47	142.35	4610.52	1510.52	-1034.56	1100.63	3.64	1510.53	133.23



Scientific
Drilling

Field: San Juan
Site: San Juan County, NM
Well: San Juan 28-7 #134G
Wellpath: DH - Job #33D0108006
Survey: 01/12/08-12/19/08



Azimuths to True North
Magnetic North: 0.00°

Magnetic Field
Strength: 0nT
Dip Angle: 0.00°
Date: 02/18/2008
Model: igrf2000

West(-)/East(+) [200ft/in]

South(-)/North(+) [200ft/in]

