

1491 1-30-045-07566
19-30-045-07555
26-30-045-24529

54-30-045-25596 E

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL INC. Location: Unit N Sec. 12 Twp 28 Rng 10

Name of Well/Wells or Pipeline Serviced ZACHERY #1, #19, #26, #54

cps 6346w

Elevation N/A Completion Date 9/1/83 Total Depth 200' Land Type* N/A

Casing, Sizes, Types & Depths 40'

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used

N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. 20'

Depths gas encountered: N/A


Type & amount of coke breeze used: 1950 lbs.

Depths anodes placed: 190', 180', 150', 140', 125', 110', 100', 90', 65', 55'

Depths vent pipes placed: 180'

Vent pipe perforations: N/A

Remarks: (gb #1)



If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

CORROSION CONTROL CO.

P. O. BOX 179 — PHONE 334-6361
AZTEC, NEW MEXICO 87410

#26, #54 #1

Drilling Log (Attach Hereto). ☐

6346W

Completion Date 9-1-83

Well Name <i>Wichita 34-4 UNIT 19</i>				Location <i>N 12 25 10</i>																																																																																																																			
Type & Size Bit Used				Work Order No.																																																																																																																			
Anode Hole Depth, <i>200'</i>	Total Drilling Rig Time		Total Lbs. Coke Used <i>1950 #</i>		Lost Circulation Mat'l Used		No. Sacks Mud Used																																																																																																																
<table border="1"> <tr> <td colspan="2">Anode Depth</td> <td colspan="2">#1 190</td> <td colspan="2">#2 180</td> <td colspan="2">#3 150</td> <td colspan="2">#4 140</td> <td colspan="2">#5 125</td> <td colspan="2">#6 110</td> <td colspan="2">#7 100</td> <td colspan="2">#8 90</td> <td colspan="2">#9 65</td> <td colspan="2">#10 55</td> </tr> <tr> <td colspan="2">Anode Output (Amps)</td> <td colspan="2">#1 5.1</td> <td colspan="2">#2 4.4</td> <td colspan="2">#3 3.9</td> <td colspan="2">#4 5.3</td> <td colspan="2">#5 6.1</td> <td colspan="2">#6 3.2</td> <td colspan="2">#7 5.6</td> <td colspan="2">#8 4.5</td> <td colspan="2">#9 3.8</td> <td colspan="2">#10 4.3</td> </tr> <tr> <td colspan="2">Anode Depth</td> <td colspan="2">#11</td> <td colspan="2">#12</td> <td colspan="2">#13</td> <td colspan="2">#14</td> <td colspan="2">#15</td> <td colspan="2">#16</td> <td colspan="2">#17</td> <td colspan="2">#18</td> <td colspan="2">#19</td> <td colspan="2">#20</td> </tr> <tr> <td colspan="2">Anode Output (Amps)</td> <td colspan="2">#11</td> <td colspan="2">#12</td> <td colspan="2">#13</td> <td colspan="2">#14</td> <td colspan="2">#15</td> <td colspan="2">#16</td> <td colspan="2">#17</td> <td colspan="2">#18</td> <td colspan="2">#19</td> <td colspan="2">#20</td> </tr> <tr> <td colspan="4">Total Circuit Resistance</td> <td colspan="4">No. 8 C.P. Cable Used</td> <td colspan="4">No. 2 C.P. Cable Used</td> </tr> <tr> <td colspan="2">Volts <i>12.2</i></td> <td colspan="2">Amps <i>20.2</i></td> <td colspan="2">Ohms <i>60</i></td> <td colspan="2"><i>1465'</i></td> <td colspan="4"></td> </tr> </table>								Anode Depth		#1 190		#2 180		#3 150		#4 140		#5 125		#6 110		#7 100		#8 90		#9 65		#10 55		Anode Output (Amps)		#1 5.1		#2 4.4		#3 3.9		#4 5.3		#5 6.1		#6 3.2		#7 5.6		#8 4.5		#9 3.8		#10 4.3		Anode Depth		#11		#12		#13		#14		#15		#16		#17		#18		#19		#20		Anode Output (Amps)		#11		#12		#13		#14		#15		#16		#17		#18		#19		#20		Total Circuit Resistance				No. 8 C.P. Cable Used				No. 2 C.P. Cable Used				Volts <i>12.2</i>		Amps <i>20.2</i>		Ohms <i>60</i>		<i>1465'</i>					
Anode Depth		#1 190		#2 180		#3 150		#4 140		#5 125		#6 110		#7 100		#8 90		#9 65		#10 55																																																																																																			
Anode Output (Amps)		#1 5.1		#2 4.4		#3 3.9		#4 5.3		#5 6.1		#6 3.2		#7 5.6		#8 4.5		#9 3.8		#10 4.3																																																																																																			
Anode Depth		#11		#12		#13		#14		#15		#16		#17		#18		#19		#20																																																																																																			
Anode Output (Amps)		#11		#12		#13		#14		#15		#16		#17		#18		#19		#20																																																																																																			
Total Circuit Resistance				No. 8 C.P. Cable Used				No. 2 C.P. Cable Used																																																																																																															
Volts <i>12.2</i>		Amps <i>20.2</i>		Ohms <i>60</i>		<i>1465'</i>																																																																																																																	

Remarks: *Set 40' casing WATER WAS AT 20'; USED 180' VENT PIPE.*

All Construction Completed

[Signature]

(Signature)

GROUND BED LAYOUT SKETCH

