

NO. OF COPIES RECEIVED	4
DISTRIBUTION	
SANTA FE	1
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	2

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	

SUNDRY NOTICES AND REPORTS ON WELLS NOV - 7 1977 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER- <u>OIL CONSERVATION COMMISSION</u>		7. Unit Agreement Name
2. Name of Operator <u>Aztec Oil & Gas Company</u>		8. Farm or Lease Name <u>Chamberlain</u>
3. Address of Operator <u>P. O. Drawer 570, Farmington, New Mexico</u>		9. Well No. <u>#1</u>
4. Location of Well UNIT LETTER <u>H</u> <u>1650</u> FEET FROM THE <u>North</u> LINE AND <u>990</u> FEET FROM THE <u>East</u> LINE, SECTION <u>14</u> TOWNSHIP <u>32N</u> RANGE <u>12W</u> NMPM.		10. Field and Pool, or Wildcat <u>Blanco Mesa Verde</u> <u>Basin Dakota</u>
15. Elevation (Show whether DF, RT, GR, etc.) <u>6277' DF</u>		12. County <u>San Juan</u>

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	Dakota Zone	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>		CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>		OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Propose to:

Pull 1-1/2" tubing.
Run casing scraper to 7300'.
Set EZ Drill cement retainer at 7275'.
Squeeze Dakota zone with 20 sacks Class B neat cement.
Pull tubing and lay down stinger.
Rerun tubing to 5235+.
Return well to production as a Blanco Mesa Verde.



18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED [Signature] TITLE District Production Manager DATE October 26, 1977

APPROVED BY [Signature] TITLE SUPERVISOR DIST. #3 DATE NOV 3 1977

CONDITIONS OF APPROVAL, IF ANY: