

Submit 3 Copies To Appropriate District
Office
District I
1625 N French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
March 4, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.
30-045-23736

5. Indicate Type of Lease
STATE ☐ FEE ☒


6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name
Kirtland 18

8. Well Number
18-3

9. OGRID Number
019219

10. Pool name or Wildcat
Cha Cha Gallup



SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR - USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS)

1. Type of Well:
Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator
Richardson Operating Company

3. Address of Operator
3100 La Plata Highway, Farmington, NM 87401

4. Well Location

Unit Letter B : 730 feet from the North line and 2250 feet from the East line

Section 18 Township 29N Range 14W NMPM County San Juan

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
5193' GL

Pit or Below-grade Tank Application (For pit or below-grade tank closures, a form C-144 must be attached)

Pit Location: UL Sect Twp Rng Pit type Depth to Groundwater Distance from nearest fresh water well

Distance from nearest surface water Below-grade Tank Location UL Sect Twp Rng ;
feet from the line and feet from the line

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☒

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Well was plugged per attached procedure.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOC guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE Ryan Bruner TITLE Engineering Assistant DATE 12/8/04

Type or print name Ryan Bruner E-mail address: rbruner@richardsoil.com Telephone No. 303-830-8000

(This space for State use)

APPROVED BY Henry Villanueva TITLE Deputy Oil & Gas Inspector DATE APR 11 2008
Conditions of approval, if any: District #3

Kirtland 18³/₃ P&A Procedure

8/12/2004: Lay down tbg & rods.

8/13/2004: TIH w/ tbg to 4600'. Mix and pump 60sx Class B cement, 15.6ppg. TOH w/ 30 stands.

Reverse circulate clean.

8/14/2004: TIH. Tag cement top at 3907'. Pressure test to 500psi, held OK. Cement plug from 4600' to 3907'. TOH to 1520'. Mix and pump 20sx Class B cement, 15.6ppg. Spot balanced plug from 1520' to 1250'. TOH to 550'. Mix and pump 55sx Class B cement, 15.6ppg. Bring cement to surface. TOH. Fill up casing w/ cement. Cutoff wellhead and install P&A marker.

Well Name:	Kirtland 1843
Location (FL):	730' FNL & 2250' FEL, B
(Sec., T, R, NMPM):	Sec. 18, T29N, R14W, NMPM
County:	San Juan
Field:	Cha Cha Unit - Gallup
API #	30-045-23736
Elevation (GR, KB):	5193' GL

