

1463 #6A 30-045-23077
#9 30-045-23711

E

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL INC. Location: Unit P Sec. 21 Twp 30 Rng 8

Name of Well/Wells or Pipeline Serviced QUINN #6A, #9

cps 6241w

Elevation N/A Completion Date 10/27/86 Total Depth 500' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. 160'

Depths gas encountered: N/A

Type & amount of coke breeze used: 2500 lbs.

Depths anodes placed: 460', 450', 440', 430', 420', 405', 390', 380', 370', 360', 350', 340', 330', 320', 310'

Depths vent pipes placed: 470'

Vent pipe perforations: 180'

Remarks: (gb #1)

RECEIVED
MAY 31 1991
OIL CON. DIV.
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.



Burge Corrosion Systems

P.O. Drawer G
Aztec, New Mexico 87410

Drilling Log (Attach Hereto). ☒

6241W


Completion Date October 27, 1986

Well Name Quinn #6-A & #9		Location Union Texas Petroleum			
Type & Size Bit Used 6 3/4 inch			Work Order No.		
Anode Hole Depth 500 feet	Total Drilling Rig Time 6 hours	Total Lbs. Coke Used 2300 #	Lost Circulation Mat'l Used	No. Sacks Mud Used	
Anode Depth #1 460 #2 450 #3 440 #4 430 #5 420 #6 405 #7 340 #8 330 #9 320 #10 310					
Anode Output (Amps) #1 1.8 #2 2.4 #3 3.7 #4 3.8 #5 4.0 #6 4.7 #7 4.4 #8 4.6 #9 4.8 #10 4.3					
Anode Depth #11 #12 #13 #14 #15 #16 #17 #18 #19 #20					
Anode Output (Amps) #11 #12 #13 #14 #15 #16 #17 #18 #19 #20					
Total Circuit Resistance Volts 12.1	Amps 16.3	Ohms .72	No. 8 C.P. Cable Used 4667 feet	No. 2 C.P. Cable Used	

Remarks: Hole was not making enough water to fill hole so the hole had to be filled from the top in order to log. Used 470 feet of 1 inch vent pipe with 180 feet of perforations.

All Construction Completed

Cody Munkres
(Signature)



Aztec, New Mexico

19 86

DESCRIPTION OF FORMATION

REMARKS: Went to injection at 360' due to the powder conditions.

Tool Dresser