

92-30-039-07600
129-30-039-23749

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO

(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SW Sec. 16 Twp 29 Rng 7

Name of Well/Wells or Pipeline Serviced SAN JUAN 29-7 UNIT #92, #129

cps 292w

Elevation 6338' Completion Date 2/28/63 Total Depth 120' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used

N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 765 lbs.

Depths anodes placed: 90', 84', 78', 72', 66', 60', 54'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: gb #1

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

RECEIVED

MAY 31 1991

OIL CON. DIV
DIST. 3

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

DATE Feb 28, 1963

WELL NAME Hoxey State No. 2 29-7-#2 CPS NO. 292W

LOCATION Sec. 16 T29NR7W

WORK ORDER NUMBER 184-40542-50-02

ANODE HOLE DEPTH 120

TOTAL DRILLING RIG TIME 6 Hrs

DRILLING TIME FOR RECTIFIER POLE HOLE —

TYPE AND SIZE BIT USED 6 1/4 Rock

NUMBER SACKS MUD USED —

NUMBER SACKS LOST CIRCULATION MAT'L USED —

ANODE DEPTHS #1 90, #2 84, #3 78, #4 72 #5 66 #6 60 #7 54

TOTAL LBS. COKE USED 765 (9 sacks)

ANODE OUTPUTS 12.4 VOLTS, #1 1.4, #2 1.5, #3 1.3, #4 1.6 #5 1.5 #6 1.7 #7 1.1

TOTAL CIRCUIT RESISTANCE: VOLTS 11.8 AMPERES 8.0 OHMS 1.47

NUMBER FEET SURFACE CABLE CONDUIT 320

DRILLING LOG (ATTACH HERETO).


FORMATION LOG (ATTACH HERETO).

REMARKS: Static c/s .74 R 600 South

ALL CONSTRUCTION COMPLETED

O. H. Daniels
SIGNATURE

GROUND BED LAYOUT SKETCH



ORIGINAL & 1 COPY
ALL REPORTS

446

LEASE

WELL NO.

CONTRACTOR

RIG NO.

REPORT NO.

DATE

1943

MORNING

DAYLIGHT

EVENING

Driller				Total Man in Crew				Driller				Total Man in Crew				Driller				Total Man in Crew				
FROM	TO	FORMATION	WT. BIT	RPM	FROM	TO	FORMATION	WT. BIT	RPM	FROM	TO	FORMATION	WT. BIT	RPM	FROM	TO	FORMATION	WT. BIT	RPM	FROM	TO	FORMATION	WT. BIT	RPM
06	100	51 sand																						
45	100	51 sand																						
TYPE				DOWN ON KELLY				TYPE				DOWN ON KELLY				TYPE				DOWN ON KELLY				
MAKE				TOTAL DEPTH				MAKE				TOTAL DEPTH				MAKE				TOTAL DEPTH				
MUD RECORD				MUD ADDITIVES USED AND RECEIVED				MUD RECORD				MUD ADDITIVES USED AND RECEIVED				MUD RECORD				MUD ADDITIVES USED AND RECEIVED				
TIME	WT.	WT.			TIME	WT.	WT.			TIME	WT.	WT.			TIME	WT.	WT.			TIME	WT.	WT.		
FROM	TO	TIME BREAKDOWN			FROM	TO	TIME BREAKDOWN			FROM	TO	TIME BREAKDOWN			FROM	TO	TIME BREAKDOWN			FROM	TO	TIME BREAKDOWN		
REMARKS				REMARKS				REMARKS				REMARKS				REMARKS				REMARKS				

6 hrs

4:37 AM carb over
6:38 AM

SIGNED: Toolpusher

Company Supervisor

Wm. J. McDaniel