

91-30-039-07635
509-30-039-24293

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec 16 Twp 29 Rng 7

Name of Well/Wells or Pipeline Serviced SAN JUAN 29-7 UNIT #91, #509

cps 294w

Elevation 6276' Completion Date 2/26/63 Total Depth 310' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used

N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A


Type & amount of coke breeze used: 1955 lbs.

Depths anodes placed: 290', 284', 278', 272', 200', 136', 130'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: gb #1



If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

DATE Feb 26th 1963

WELL NAME Hoxey State No. 1 CPS NO. 294W

LOCATION Sec. 16 T29N R7W

WORK ORDER NUMBER 184-40542-50-02

ANODE HOLE DEPTH 318'

TOTAL DRILLING RIG TIME 19 Hrs

DRILLING TIME FOR RECTIFIER POLE HOLE —

TYPE AND SIZE BIT USED 6 1/4 Rock WM (Scr. 8474X)

NUMBER SACKS MUD USED 2

NUMBER SACKS LOST CIRCULATION MAT'L USED 2

ANODE DEPTHS #1 290, #2 284, #3 278, #4 272 5 200 6 136 7 130

TOTAL LBS. COKE USED 1955 (23 sacks)

ANODE OUTPUTS 12.4 VOLTS, #1 1.4, #2 1.2, #3 1.6, #4 1.4 #5 5.7 #6 1.5

TOTAL CIRCUIT RESISTANCE: VOLTS 12.2 AMPERES 6.4 OHMS 1.9

NUMBER FEET SURFACE CABLE CONDUIT 450

DRILLING LOG (ATTACH HERETO). yes

FORMATION LOG (ATTACH HERETO). No


REMARKS: C/S R. 600 East .73 (Static)

ALL CONSTRUCTION COMPLETED

D. J. Daniels

SIGNATURE

GROUND BED LAYOUT SKETCH



ORIGINAL & 1 COPY
ALL REPORTS

2059"

DAILY DRILLING REPORT

1965

EVENING

Driller					Total Men In Crew					Driller					Total Men In Crew				
FROM	TO	FORMATION	WT-BIT	R.P.M.	FROM	TO	FORMATION	WT-BIT	R.P.M.	FROM	TO	FORMATION	WT-BIT	R.P.M.					
0	38	35	8174		76	240	35 Sand	8174											
38	45	35	X		240	275	35 Sand + 550	X											
45	75	35	X		275	310	35 Sand	X											
75	96	35 Sand	X					X											

			NO. DC			SIZE			LENG.						NO. DC			SIZE			LENG.						NO. DC			SIZE			LENG.		
BIT NO.			NO. DC			SIZE			LENG.			BIT NO.			NO. DC			SIZE			LENG.			BIT NO.			NO. DC			SIZE			LENG.		
SERIAL NO.			STANDS			SERIAL NO.			STANDS			SERIAL NO.			STANDS			SERIAL NO.			STANDS			SERIAL NO.			STANDS			SERIAL NO.			STANDS		
SIZE			SINGLES			SIZE			SINGLES			SIZE			SINGLES			SIZE			SINGLES			SIZE			SINGLES			SIZE			SINGLES		
TYPE			DOWN ON KELLY			TYPE			DOWN ON KELLY			TYPE			DOWN ON KELLY			TYPE			DOWN ON KELLY			TYPE			DOWN ON KELLY			TYPE			DOWN ON KELLY		
MAKE			TOTAL DEPTH			MAKE			TOTAL DEPTH			MAKE			TOTAL DEPTH			MAKE			TOTAL DEPTH			MAKE			TOTAL DEPTH			MAKE			TOTAL DEPTH		
MUD RECORD			MUD, ADDITIVES USED AND RECEIVED			MUD RECORD			MUD, ADDITIVES USED AND RECEIVED			MUD RECORD			MUD, ADDITIVES USED AND RECEIVED			MUD RECORD			MUD, ADDITIVES USED AND RECEIVED			MUD RECORD			MUD, ADDITIVES USED AND RECEIVED			MUD RECORD			MUD, ADDITIVES USED AND RECEIVED		
Time			WT.			Vis.			Time			WT.			Vis.			Time			WT.			Vis.			Time			WT.			Vis.		

[illegible][illegible]

REMARKS -

REMARKS -
Morning Service Springfield & July 7/19
184-26-11005
184-27-8485
19ARS

Company Supervisor