

61- 30-039-07714

484- 30-039-24472

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SW Sec. 34 Twp 30 Rng 6

Name of Well/Wells or Pipeline Serviced SAN JUAN 30-6 UNIT #61, #484

cps 235w

Elevation 6430' Completion Date 7/5/66 Total Depth 520' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used

N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 7125 lbs.

Depths anodes placed: 445', 439', 425', 419', 413', 407', 350', 344', 338', 332'

Depths vent pipes placed: 439' OF 3/4" PLASTIC HOSE

Vent pipe perforations: N/A

Remarks: gb #2

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

RECEIVED
MAY 31 1991
OIL CON. DIV.
DIST. 3

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

280' #8, 4 3/4" Drag

Date 7-5-66

Well Name Sel. 30-6 #61 (Formerly Barron Kidd #1E)			CPS No. 235W		
Location SW 34-30-6			Work Order No. 184-53106-50-20		
Anode Hole Depth 520	Total Drilling Rig Time 37 Hrs	Type & Size Bit Used 6060 = 420' 6 1/4 Rock-5703=100		No. Sacks Mud Used 0	
No. Sacks Lost Circulation Mat'l Used 0	Anode Depth				
	#1 445	#2 439	#3 425	#4 419	#5 413
Total Lbs. Coke Used 7125	Anode Output (Volts)				
	#1 2.1	#2 2.0	#3 2.4	#4 2.9	#5 2.0
Total Circuit Resistance	No. Ft. Surface Cable Conduit				
Volts 11.5	Amps 7.3	Ohms 1.57	43120 v Anodes 145 Surface = 4457 Total		
Drilling Log (Attach Hereto) ☐			7 350	8 344	9 338
			7 3.5	8 2.5	9 2.5
			10 332	10 2.3	

Remarks:

3/4" Plastic Hose to No. 2 Anode -

15 lbs Chemical Dissolved & Circulated Thru Hole

Note - Lost Bit Cone in Hole at 520'

is it any Place Below Waterzone (280') For 11th Anode -

All Construction Completed

Arriels

(Signature)

GROUND BED LAYOUT SKETCH



