

61- 30-039-07714
484- 30-039-24472

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SW Sec. 34 Twp 30 Rng 6

Name of Well/Wells or Pipeline Serviced SAN JUAN 30-6 UNIT #61, #484
cps 235w

Elevation 6430' Completion Date 5/1/63 Total Depth 140' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 935 lbs.

Depths anodes placed: 120', 110', 104', 98', 92'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: gb #1

RECEIVED
MAY 31 1991
OIL CON. DIV
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

(Name Change)

S.T. 30-6#61

DATE 5-1-63

WELL NAME ~~Barron K. dd #1-E~~

CPS NO. 235 W

LOCATION 34-30N-6W

WORK ORDER NUMBER 184-40542-50-02

ANODE HOLE DEPTH 140'

TOTAL DRILLING RIG TIME 4 hrs

DRILLING TIME FOR RECTIFIER POLE HOLE 0

TYPE AND SIZE BIT USED

NUMBER SACKS MUD USED 0

NUMBER SACKS LOST CIRCULATION MAT'L USED 0

ANODE DEPTHS #1 120', #2 110', #3 104', #4 98 5 92

TOTAL LBS. COKE USED 935 lbs

ANODE OUTPUTS 12 VOLTS, #1 2.5, #2 3.4, #3 3.6, #4 3.2 5 3.6

TOTAL CIRCUIT RESISTANCE: VOLTS 11.4 AMPERES 7.8 OHMS 1.47

NUMBER FEET SURFACE CABLE CONDUIT 503'

DRILLING LOG (ATTACH HERETO).

FORMATION LOG (ATTACH HERETO).

REMARKS: Static $\frac{1}{2}$ = .76 R 600' SW

Installed Good-All Rect 28V 12A


serial # 6206299

ALL CONSTRUCTION COMPLETED

E. Pauke

SIGNATURE

GROUND BED LAYOUT SKETCH



ORIGINAL & 1 COPY
ALL REPORTS

LEASE **Barton 1022** WELL NO. **1-E** CONTRACTOR **L.E. Wilson** RIG NO. **D-2** REPORT NO. DATE **5-1** 19 **69**

MORNING

DAYLIGHT

EVENING

Driller				Total Men in Crew				Driller				Total Men in Crew				Driller				Total Men in Crew			
FROM	TO	FORMATION	WT. BIT	R.P.M.	NO. DC	SIZE	LENG.	FROM	TO	FORMATION	WT. BIT	R.P.M.	NO. DC	SIZE	LENG.	FROM	TO	FORMATION	WT. BIT	R.P.M.	NO. DC	SIZE	LENG.
0	42	Sand	1000																				
42	85	SC.	"																				
85	97	SS.	"																				
95	140	Sh.	"																				
BIT NO.				NO. DC				BIT NO.				NO. DC				BIT NO.				NO. DC			
SERIAL NO.				NO. DC				SERIAL NO.				NO. DC				SERIAL NO.				NO. DC			
SIZE				STANDS				SIZE				STANDS				SIZE				STANDS			
TYPE				SINGLES				TYPE				SINGLES				TYPE				SINGLES			
MAKE				DOWN ON KELLY				MAKE				DOWN ON KELLY				MAKE				DOWN ON KELLY			
MUD RECORD				TOTAL DEPTH				MUD RECORD				TOTAL DEPTH				MUD RECORD				TOTAL DEPTH			
TIME				MUD, ADDITIVES USED AND RECEIVED				TIME				MUD, ADDITIVES USED AND RECEIVED				TIME				MUD, ADDITIVES USED AND RECEIVED			
WT.				TIME BREAKDOWN				WT.				TIME BREAKDOWN				WT.				TIME BREAKDOWN			
VIS.				FROM				VIS.				FROM				VIS.				FROM			
				TO								TO								TO			
				TIME								TIME								TIME			
				REMARKS								REMARKS								REMARKS			

14 Miles between readings
Mud log stop this 14
Finished hole at 230 R.P.M.

Rig Time 4 hrs.

REMARKS - 1 Load Water.

SIGNED: Toolpusher

Company Supervisor

WHP