

56 - 30-039-07736

483, 30-039-24473

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO

(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec. 34 Twp 30 Rng 6

Name of Well/Wells or Pipeline Serviced SAN JUAN 30-6 UNIT #56, #483

cps 236w

Elevation 6495' Completion Date 10/2/67 Total Depth 280' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. 140'

RECEIVED

MAY 31 1991

Depths gas encountered: N/A

OIL CON. DIV.
DIST. 3

Type & amount of coke breeze used: 5040 lbs.

Depths anodes placed: 250', 244', 238', 232', 226', 220', 214', 208'

Depths vent pipes placed: 250' OF 3/4 " HOSE

Vent pipe perforations: 250'

Remarks: qb #2

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

Sealed

4 3/4 #57 = 160'

Date 10-2-67

Well Name <u>J.D. 30-6 No. 56</u>			CPS No. <u>236 W</u>		
Location <u>NE 34-30-6</u>			Work Order No. <u>184-90102-50-20</u>		
Anode Hole Depth <u>280</u>	Total Drilling Rig Time <u>27 Hrs.</u>	Type & Size Bit Used <u>7 7/8-57/51 = 280</u>		No. Sacks Mud Used <u>0</u>	
No. Sacks Lost Circulation Material Used <u>1</u>	Anode Depth				
	#1 <u>250</u>	#2 <u>244</u>	#3 <u>238</u>	#4 <u>232</u>	#5 <u>226</u> #6 <u>220</u>
Total Lbs. Coke Used <u>5040</u>	Anode Output (Volts)				
	#1 <u>4.3</u>	#2 <u>4.9</u>	#3 <u>4.5</u>	#4 <u>4.5</u>	#5 <u>3.7</u> #6 <u>3.9</u>
Total Circuit Resistance Volts <u>11.7</u>	Amps <u>8.6</u>	Ohms <u>1.36</u>	No. Ft. Surface Cable Conduit <u>1992 Anodes-125' surface = 2117'</u>		
Drilling Log (Attach Hereto) ☐		7 214 8 208			
Remarks:		7 3.7 8 3.6			

3/4" Hose to No. 1 Anode - Perforated 250'
15 lbs Barafos Circ. Thru Hole

All Construction Completed

Samuel
(Signature)



