

30-039-07737

30-039-24816

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec. 32 Twp 30 Rng 6

Name of Well/Wells or Pipeline Serviced SAN JUAN 30-6 UNIT 13, #501

cps 148w

Elevation 6490' Completion Date 4/1/63 Total Depth 120' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 850 lbs.

Depths anodes placed: 85', 79', 73', 67', 61'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: qb. #1

RECEIVED
MAY 31 1991
OIL CON. DIV.
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

DATE 4-1-63

WELL NAME SAN JUAN 30-6 # 13

CPS NO. 148 W

LOCATION 32-30N-6W

WORK ORDER NUMBER 184-40542-50-02

ANODE HOLE DEPTH 120

TOTAL DRILLING RIG TIME _____

DRILLING TIME FOR RECTIFIER POLE HOLE _____

TYPE AND SIZE BIT USED _____

NUMBER SACKS MUD USED 1

NUMBER SACKS LOST CIRCULATION MAT'L USED 0

ANODE DEPTHS #1 85, #2 79, #3 73, #4 67 5. 62'

TOTAL LBS. COKE USED 850 165

ANODE OUTPUTS 12 VOLTS, #1 2.0, #2 1.2, #3 3.2, #4 4.0 5. 3.9

TOTAL CIRCUIT RESISTANCE: VOLTS 11.5 AMPERES 6.8 OHMS 1.72

NUMBER FEET SURFACE CABLE ~~CONDUIT~~ 340'

DRILLING LOG (ATTACH HERETO).

FORMATION LOG (ATTACH HERETO).


REMARKS: STATIC $\frac{9}{5} = .74 R$ 600' NW

INSTALLED Goodall 28V 12A Rect

ALL CONSTRUCTION COMPLETED

E. Paulk
SIGNATURE

GROUND BED LAYOUT SKETCH



ORIGINAL & 1 COPY
ALL REPORTS

195'

1963

EVENING

Driller						Total Men In Crew						Driller						Total Men In Crew					
FROM	TO	FORMATION	WT. BIT	R.P.M.		FROM	TO	FORMATION	WT. BIT	R.P.M.		FROM	TO	FORMATION	WT. BIT	R.P.M.		FROM	TO	FORMATION	WT. BIT	R.P.M.	
0	50	S.S.	157																				
50	83	S _H	"																				
83	120	S.S. - VSA Stringers	"																				

[illegible]

КЕМІАНЫ

Company Supervisor

12