

10-30-039-07741
447-30-039-24634

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec. 31 Twp 30 Rng 7

Name of Well/Wells or Pipeline Serviced SAN JUAN 30-6 UNIT #10, #447
cps 260w

Elevation 6227' Completion Date 7/18/69 Total Depth 440' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. 310'

Depths gas encountered: N/A

Type & amount of coke breeze used: N/A

Depths anodes placed: N/A

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: qb #2 - HOLE #1 CAVED ABANDONED.

RECEIVED
MAY 31 1991
OIL CON. DIV
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

5'10"-2005 240 ✓

5" 75666-180 ✓

Drilling Log (Attach Hereto). ☐

Completion Date 7-18-69

Well Name S.J. 30-6 #10		Location NE31-30-7		CPS No. 260 W	
Type & Size Bit Used 7 7/8" 797303 = 160-93035 = 280-176610 = 20		Work Order No. 184-40024-50-20			
Anode Hole, Depth 400	Total Drilling Rig Time 48 Hrs	Total Lbs. Coke Used 0	Lost Circulation Mat'l Used 0	No. Sacks Mud Used 23	
Anode Depth					
# 1	# 2	# 3	# 4	# 5	# 6
Anode Output (Amps)					
# 1	# 2	# 3	# 4	# 5	# 6
Anode Depth					
# 11	# 12	# 13	# 14	# 15	# 16
Anode Output (Amps)					
# 11	# 12	# 13	# 14	# 15	# 16
Total Circuit Resistance					
Volts		Amps		Ohms	
No. 8 C.P. Cable Used			No. 2 C.P. Cable Used		

Remarks: 50 lbs Barofos

Hole Caved, could Not Reclaim -
(A abandoned Hole)

All Construction Completed

Arrels
(Signature)

GROUND BED LAYOUT SKETCH

Sheet 1 of 3



EVENING

REMARKS[illegible]

440' L. covers E. of 300m. SIGNED too pusher. Company Supervisor

[illegible]