

28-30-039-07742
494-30-039-24831

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec. 33 Twp 30 Rng 6

Name of Well/Wells or Pipeline Serviced SAN JUAN 30-6 UNIT #28, #494

cps 174w

Elevation 6345' Completion Date 4/18/63 Total Depth 100' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 765 lbs.

Depths anodes placed: 80-', 74', 68', 62', 56'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: gb #1 RETIRED

RECEIVED
MAY 31 1991
OIL CON. DIV
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

DATE 18 April 63

WELL NAME San Juan 30-6 Unit #28-33 CPS NO. 174W

LOCATION NE² Sec. 33 T30N R6W

WORK ORDER NUMBER 184-40542-50-02

ANODE HOLE DEPTH 100

TOTAL DRILLING RIG TIME 4 Hrs.

DRILLING TIME FOR RECTIFIER POLE HOLE 0

TYPE AND SIZE BIT USED 6 1/4 Rock WM 3490

NUMBER SACKS MUD USED 0 9

NUMBER SACKS LOST CIRCULATION MAT'L USED 0

ANODE DEPTHS #1 80, #2 74, #3 68, #4 62 #5 56

TOTAL LBS. COKE USED 765 lbs. 9 sacks

ANODE OUTPUTS 12.4 VOLTS, #1 3.0, #2 2.9, #3 2.7, #4 2.6 #5 3.4

TOTAL CIRCUIT RESISTANCE: VOLTS 12.0 AMPERES 7.0 OHMS 1.7

NUMBER FEET SURFACE CABLE CONDUIT 570'

DRILLING LOG (ATTACH HERETO).


FORMATION LOG (ATTACH HERETO).

REMARKS: Static C/S 74 R 600' EAST
Rectifier Good All 28V 12A
Ser. No. 62C 6282

ALL CONSTRUCTION COMPLETED

O. H. Harrells
SIGNATURE

GROUND BED LAYOUT SKETCH



ORIGINAL & 1 COPY
ALL REPORTS

990'

EL PASO NATURAL GAS COMPANY
DRILLING DEPARTMENT

DAILY DRILLING REPORT

LEASE 500-33 Donau WELL NO. 30-6 UNIT N-28-33 CONTRACTOR Wilson RIG NO. D-6 REPORT NO. 18 DATE April 18 19 63

MORNING										DAYLIGHT										EVENING									
Driller		Total Man In Crew				Driller		Total Man In Crew				Driller		Total Man In Crew															
FROM	TO	FORMATION	WT-BIT	R.P.M.	FROM	TO	FORMATION	WT-BIT	R.P.M.	FROM	TO	FORMATION	WT-BIT	R.P.M.	FROM	TO	FORMATION	WT-BIT	R.P.M.										
03	05	sh	3090		56	59	ss			56	59	ss																	
05	40	sh	3090		59	63	ss			59	63	ss																	
40	45	sh	3090		63	95	ss			63	95	ss																	
45	56	sh	3090		95	100	ss			95	100	ss																	
BIT NO.		NO. DC		SIZE		LENG.		NO. DC		SIZE		LENG.		NO. DC		SIZE		LENG.											
SERIAL NO.		NO. DC		SIZE		LENG.		NO. DC		SIZE		LENG.		NO. DC		SIZE		LENG.											
SIZE		STANDS		SINGLES		DOWN ON KELLY		STANDS		SINGLES		DOWN ON KELLY		STANDS		SINGLES		DOWN ON KELLY											
TYPE		TOTAL DEPTH		MUD, ADDITIVES USED AND RECEIVED		MUD, ADDITIVES USED AND RECEIVED		TOTAL DEPTH		MUD, ADDITIVES USED AND RECEIVED		MUD, ADDITIVES USED AND RECEIVED		TOTAL DEPTH		MUD, ADDITIVES USED AND RECEIVED		MUD, ADDITIVES USED AND RECEIVED											
MAKE		MUD RECORD		WL		VIS		MUD RECORD		WL		VIS		MUD RECORD		WL		VIS											
TIME		TIME BREAKDOWN		TIME BREAKDOWN		TIME BREAKDOWN		TIME BREAKDOWN		TIME BREAKDOWN		TIME BREAKDOWN		TIME BREAKDOWN		TIME BREAKDOWN		TIME BREAKDOWN											
FROM		TO		FROM		TO		FROM		TO		FROM		TO		FROM		TO											

REMARKS: April 18 - drilled 100' closed out hole 100' water 4 hrs

W. J. Harrell
Company Supervisor

SIGNED: Toolpusher