

15- 30-039-07757
497- 30-039-24960

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SW Sec 29 Twp 30 Rng 7

Name of Well/Wells or Pipeline Serviced SAN JUAN 30-6 UNIT #15, #497

cps 262w

Elevation 6279' Completion Date 3/23/63 Total Depth 300' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 2145lbs

Depths anodes placed: 221', 215', 209', 203', 147', 120'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: gb #1

RECEIVED
MAY 31 1991
OIL CON. DIV
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

DATE 3-23-63

WELL NAME SAN JUAN 30-6 #15

CPS NO. 262W

LOCATION 29-30N - 7W

WORK ORDER NUMBER 184-40542-50-02

ANODE HOLE DEPTH 300'

TOTAL DRILLING RIG TIME 13 h 25

DRILLING TIME FOR RECTIFIER POLE HOLE 0

TYPE AND SIZE BIT USED 0

NUMBER SACKS MUD USED 2

NUMBER SACKS LOST CIRCULATION MAT'L USED 0

ANODE DEPTHS #1 221', #2 215', #3 209', #4 203' 5 147' 6 141' 7 120'

TOTAL LBS. COKE USED 2145 lbs

ANODE OUTPUTS 12 VOLTS, #1 16, #2 23, #3 2.8, #4 1.85 1.2 6.187

TOTAL CIRCUIT RESISTANCE: VOLTS 11.6 AMPERES 7 OHMS 1.76

NUMBER FEET SURFACE CABLE ~~CONDUIT~~ 414'

DRILLING LOG (ATTACH HERETO).

FORMATION LOG (ATTACH HERETO).


REMARKS: Static 95 = 71 R 600' S

Insulating Union on Dehydrator

ALL CONSTRUCTION COMPLETED

E. Parikh
SIGNATURE

GROUND BED LAYOUT SKETCH



ORIGINAL & 1 COPY
ALL REPORTS

1785'

MORNING

Driller		Total Man In Crew	
FROM	TO	FORMATION	W.T.B.R.P.M.
0	31	SC.	2A
31	300	SS. + Sh.	25HX

[illegible]

		NO. DC	SIZE	LENG.
BIT NO.		NO. DC	SIZE	LENG.
SER. NO.		STANDS		
SIZE		SINGLES		
TYPE		DOWN ON KELY		
MAKE		TOTAL DEPTH		
ADDRESS		NO. ADDITIVES USED AND RECEIVED		

		NO. DC	SIZE	LENG.
BIT NO.		NO. DC	SIZE	LENG.
SERIAL NO.		STANDS		
SIZE		SINGLE		
TYPE		DOWNON KEEL		
MAKE		TOTAL DEPTH		
MUD RECORD		MUD ADDITIVE USED AND RECEIVED		

Time	Wt.	Vol.	
			3 sacks MVD

[illegible][illegible][illegible]

REMARKS

2 loads water 7 hrs.

Company Supervisor 244