

52 - 30-039-07796

471- 30-039-24512

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SW Sec. 21 Twp 30 Rng 6

Name of Well/Wells or Pipeline Serviced SAN JUAN 30-6 UNIT #52, #471

cps 216w

Elevation 6336' Completion Date 4/17/63 Total Depth 120' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 850 lbs.

Depths anodes placed: 104', 98', 92', 65', 59'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: gb #1

RECEIVED
MAY 31 1991
OIL CON. DIV.
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

DATE 4-17-63

WELL NAME Barron Kid # 5

CPS NO. 216W

LOCATION 21 - 30N - 6W

WORK ORDER NUMBER 184-40542 -50-02

ANODE HOLE DEPTH 120'

TOTAL DRILLING RIG TIME 6 HRS

DRILLING TIME FOR RECTIFIER POLE HOLE 0

TYPE AND SIZE BIT USED _____

NUMBER SACKS MUD USED 2

NUMBER SACKS LOST CIRCULATION MAT'L USED 0

ANODE DEPTHS #1 104, #2 98', #3 92', #4 65' 5 59

TOTAL LBS. COKE USED 850

ANODE OUTPUTS 12 VOLTS, #1 3.2, #2 3.5, #3 3.2, #4 3.0 5. 3.4

TOTAL CIRCUIT RESISTANCE: VOLTS 11.2 AMPERES 8.0 OHMS 1.4

NUMBER FEET SURFACE CABLE CONDUIT 466'

DRILLING LOG (ATTACH HERETO).

FORMATION LOG (ATTACH HERETO).


REMARKS: STATIC 9/5.68 600' E

Installed Good-All 28V 12A Rect.
Serial # 62C6276

ALL CONSTRUCTION COMPLETED

C. Paulk
SIGNATURE

GROUND BED LAYOUT SKETCH



ORIGINAL & 1 COPY
ALL REPORTS

966

4-14-17

DAILY DRILLING REPORT

LEASE **Bono Kid** WELL NO **#8** CONTRACTOR **AE Wilson** RIG NO. **02** REPORT NO. **19** DATE **4-17** 19 **65**

MORNING

DAYLIGHT

EVENING

Driller					Total Man/Hr Crew					Driller					Total Man/Hr Crew				
FROM	TO	FORMATION	WT. BIT	RPM	WT. BIT	RPM	WT. BIT	RPM	WT. BIT	FROM	TO	FORMATION	WT. BIT	RPM	WT. BIT	RPM	WT. BIT	RPM	WT. BIT
0	40	SS		5000						100	120	Sandy shale with							
40	65	SS		"															
65	90	SS		"															
90	100	S.S.		"															
MAKE Water					TOTAL DEPTH 120					MAKE					TOTAL DEPTH				
MUD RECORD					MUD ADDITIVES USED AND RECEIVED					MUD RECORD					MUD ADDITIVES USED AND RECEIVED				
Time	WT.	VIS.			Time	WT.	VIS.			Time	WT.	VIS.			Time	WT.	VIS.		
FROM					TO					FROM					TO				
TIME BREAKDOWN					TIME BREAKDOWN					TIME BREAKDOWN					TIME BREAKDOWN				
REMARKS					REMARKS					REMARKS					REMARKS				
Drilled 100 ft on 4-16-65					8 Sacks mixed					No time lost									
Sands					1 root water														
Drilled 20 ft above hole																			
413-103 S.S.																			
Type 6 hrs																			

SIGNED: Toolpusher

Company Supervisor

241