

52-30-039-07796

471-30-039-24512

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO

(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SW Sec. 21 Twp 30 Rng 6

Name of Well/Wells or Pipeline Serviced SAN JUAN 30-6 UNIT #52, #471

cps 216w

Elevation 6336' Completion Date 7/12/66 Total Depth 480' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used

N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 2125 lbs.

Depths anodes placed: 385', 379', 373', 367', 361', 355'

Depths vent pipes placed: 385' OF 3/4" PLASTIC HOSE

Vent pipe perforations: 90'

Remarks: gb #2 ABANDONED COKE BRIDGED AT 190'. COULD NOT GET COKE TO ANODES.

' MOVED TO GB #3.

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.

If Federal or Indian, add Lease Number.

RECEIVED

MAY 31 1991

CON. DIV.
DIST. 3

CATHODIC PROTECTION CONSTRUCTION REPORT

DAILY LOG

Date 7-12-66

Well Name <u>No. 2 G.B.</u> <u>JW 30-6 HS- (Formerly Barron Kidd No. 5)</u>			CPS No. <u>216W</u>		
Location <u>JW 21-30-6</u>			Work Order No. <u>184-90151-50-20</u>		
Anode Hole Depth <u>480</u>	Total Drilling Rig Time <u>27 1/2"</u>	Type & Size Bit Used <u>6 1/4 Rock 9259=300</u>		No. Sacks Mud Used <u>0</u>	
No. Sacks Lost Circulation Mat'l Used <u>0</u>	Anode Depth				
	#1 <u>385</u>	#2 <u>379</u>	#3 <u>373</u>	#4 <u>367</u>	#5 <u>361</u>
Total Lbs. Coke Used <u>2125</u>		Anode Output (Volts)			
		#1 <u>2.1</u>	#2 <u>2.0</u>	#3 <u>1.7</u>	#4 <u>1.9</u>
Total Circuit Resistance Volts <u>11.6</u>		Amps <u>5.7</u>		Ohms <u>2.04</u>	
		No. Ft. Surface Cable Conduit <u>3232-Anodes 180 surface = 3412 Total</u>			

Drilling Log (Attach Hereto): ☐

<u>7 349</u>	<u>8 343</u>
<u>7 1.5</u>	<u>8 0.745</u>

Remarks:

3/4" Plastic Hose to No. 1 Anode Perforated 90' - 15 lbs Chemical
Coke Bridged at 190' - Could Not Get Coke
to Anodes - Moved to No. 3 G.B.


All Construction Completed

Ameh

(Signature)

GROUND BED LAYOUT SKETCH

No. 2 G.B.
Rocks
150



DATE 7-7-64

EVENING

Total Men In Cr

THE

THE

NO. DC SIZE NO. DC _____ SIZE _____
STANDS _____

SINGLES

ADDITIONS USED AND TOTAL DEPTH

THE

[illegible]

TIME ARE A DOWN

[illegible][illegible]

100

[illegible]

478.047

5.00

100

0

12812

Company Supervisor

Daniela

LEASE

WELL NO. 28 W

CONTRACTOR

H. F. WILSON

RIG NO. D-2

REPORT NO.

DATE

7-15

MORNING

DAYLIGHT

EVENING

Driller

Tool Man In Crew

Driller

Tool Man In Crew

Driller

Tool Man In Crew

FROM

TO

FORMATION

W-BIT

R.P.M.

FROM

TO

FORMATION

W-BIT

R.P.M.

FROM

TO

FORMATION

W-BIT

R.P.M.

FROM

TO

FORMATION

W-BIT

NO. DC

SIZE

LENG.

NO. DC

SIZE

LENG.

NO. DC

SIZE

LENG.

NO. DC

SIZE

LENG.

NO. DC

SIZE

LENG.

NO. DC

SIZE

LENG.

NO. DC

SIZE

LENG.

NO. DC

SIZE

STANDS

STANDS

STANDS

STANDS

STANDS

STANDS

STANDS

STANDS

STANDS

STANDS

STANDS

STANDS

STANDS

STANDS

STANDS

STANDS

STANDS

STANDS

STANDS

STANDS

STANDS

STANDS

STANDS

MAKE

MAKE

MAKE

MAKE

MAKE

MAKE

MAKE

MAKE

MAKE

MAKE

MAKE

MAKE

MAKE

MAKE

MAKE

MAKE

MAKE

MAKE

MAKE

MAKE

MAKE

MAKE

MAKE

TIME

TIME

TIME

TIME

TIME

TIME

TIME

TIME

TIME

TIME

TIME

TIME

TIME

TIME

TIME

TIME

TIME

TIME

TIME

TIME

TIME

TIME

TIME

W-BIT

W-BIT

W-BIT

W-BIT

W-BIT

W-BIT

W-BIT

W-BIT

W-BIT

W-BIT

W-BIT

W-BIT

W-BIT

W-BIT

W-BIT

W-BIT

W-BIT

W-BIT

W-BIT

W-BIT

W-BIT

W-BIT

W-BIT

VIS.

VIS.

VIS.

VIS.

VIS.

VIS.

VIS.

VIS.

VIS.

VIS.

VIS.

VIS.

VIS.

VIS.

VIS.

VIS.

VIS.

VIS.

VIS.

VIS.

VIS.

VIS.

VIS.

TIME BREAKDOWN

TIME BREAKDOWN

TIME BREAKDOWN

TIME BREAKDOWN

TIME BREAKDOWN

TIME BREAKDOWN

TIME BREAKDOWN

TIME BREAKDOWN

TIME BREAKDOWN

TIME BREAKDOWN

TIME BREAKDOWN

TIME BREAKDOWN

TIME BREAKDOWN

TIME BREAKDOWN

TIME BREAKDOWN

TIME BREAKDOWN

TIME BREAKDOWN

TIME BREAKDOWN

TIME BREAKDOWN

TIME BREAKDOWN

TIME BREAKDOWN

TIME BREAKDOWN

TIME BREAKDOWN

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

REMARKS

7-14-66

7-15-66

7-16-66

7-17-66

7-18-66

7-19-66

7-20-66

7-21-66

7-22-66

7-23-66

7-24-66

7-25-66

7-26-66

7-27-66

7-28-66

7-29-66

7-30-66

7-31-66

7-32-66

7-33-66

7-34-66

7-35-66

7-36-66

7-37-66

7-38-66

7-39-66

7-40-66

7-41-66

7-42-66

7-43-66

7-44-66

7-45-66

7-46-66

7-47-66

7-48-66

7-49-66

7-50-66

7-51-66

7-52-66

7-53-66

7-54-66

7-55-66

7-56-66

7-57-66

7-58-66

7-59-66

7-60-66

7-61-66

7-62-66

7-63-66

7-64-66

7-65-66

7-66-66

7-67-66

7-68-66

7-69-66

7-70-66

7-71-66

7-72-66

7-73-66

7-74-66

7-75-66

7-76-66

7-77-66

7-78-66

7-79-66

7-80-66

7-81-66

7-82-66

7-83-66

7-84-66

7-85-66

7-86-66

7-87-66

7-88-66

7-89-66

7-90-66

7-91-66

7-92-66

7-93-66

7-94-66

7-95-66

7-96-66