

54 - 30-039-07805
470 - 30-039-24471

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec. 21 Twp 30 Rng 6

Name of Well/Wells or Pipeline Serviced SAN JUAN 30-6 UNIT #54, #470

cps 217w

Elevation 6447' Completion Date 4/17/63 Total Depth 140' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 1020 lbs.

Depths anodes placed: 115', 109', 80', 74', 57'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: qb #1

RECEIVED
MAY 31 1991
OIL CON. DIV.
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

DATE 4-17-63

WELL NAME

Barron-Kidd #7 306754

CPS NO.

117W

LOCATION

21-30N-6W

WORK ORDER NUMBER

184-40542-50-02

ANODE HOLE DEPTH

140'

TOTAL DRILLING RIG TIME

5425

DRILLING TIME FOR RECTIFIER POLE HOLE

0

TYPE AND SIZE BIT USED

NUMBER SACKS MUD USED

0

NUMBER SACKS LOST CIRCULATION MAT'L USED

0

ANODE DEPTHS #1

115'

#2 109'

#3 80

#4

74' 5.52

TOTAL LBS. COKE USED

1020 165

ANODE OUTPUTS

12 VOLTS, #1

3.0

#2 3.2

#3 3.3

#4

3.6 5.3.2

TOTAL CIRCUIT RESISTANCE: VOLTS

11.4

AMPERES

8.6

OHMS

1.33

NUMBER FEET SURFACE CABLE CONDUCT

326'

DRILLING LOG (ATTACH HERETO).

FORMATION LOG (ATTACH HERETO).

REMARKS:

Static η_s = .79 600' NW

Installed Good-All Rect 28V. 12A.


Serial # 6206240

ALL CONSTRUCTION COMPLETED

E. Park

SIGNATURE

GROUND BED LAYOUT SKETCH



ORIGINAL & 1 COPY
ALL REPORTS

84'

LEASE **Turner** WELL NO. **77**

CONTRACTOR **L.E. Wilson**

RIG NO. **D 2**

REPORT NO.

DATE **4-15**

19**45**

MORNING

DAYLIGHT

EVENING

Driller				Total Men in Crew				Driller				Total Men in Crew				Driller				Total Men in Crew			
FROM	TO	FORMATION	WT. BIT	RT. IN.	FROM	TO	FORMATION	WT. BIT	RT. IN.	FROM	TO	FORMATION	WT. BIT	RT. IN.	FROM	TO	FORMATION	WT. BIT	RT. IN.				
0	10	Substrata	1000	11"	90	105	Substrata	1000	11"														
10	60	Substrata	1100	11"	105	115	Substrata	1100	11"														
60	80	Substrata	1100	11"	115	130	Substrata	1100	11"														
80	95	Substrata	1100	11"	130	140	Substrata	1100	11"														
BIT NO.				NO. DC. SIZE LENG.				BIT NO.				NO. DC. SIZE LENG.				BIT NO.				NO. DC. SIZE LENG.			
SERIAL NO.				STANDS				SERIAL NO.				STANDS				SERIAL NO.				STANDS			
SIZE				SINGLES				SIZE				SINGLES				SIZE				SINGLES			
TYPE				DOWN ON KELLY				TYPE				DOWN ON KELLY				TYPE				DOWN ON KELLY			
MAKE				TOTAL DEPTH				MAKE				TOTAL DEPTH				MAKE				TOTAL DEPTH			
MUD RECORD				MUD ADDITIVES USED AND RECEIVED				MUD RECORD				MUD ADDITIVES USED AND RECEIVED				MUD RECORD				MUD ADDITIVES USED AND RECEIVED			
Time				Time				Time				Time				Time				Time			
WT.				WT.				WT.				WT.				WT.				WT.			
VS.				VS.				VS.				VS.				VS.				VS.			
TIME BREAKDOWN				TIME BREAKDOWN				TIME BREAKDOWN				TIME BREAKDOWN				TIME BREAKDOWN				TIME BREAKDOWN			
FROM				TO				FROM				TO				FROM				TO			

REMARKS -

REMARKS -

REMARKS -

15000 water

Ag Time 370

SIGNED: Toolpusher

Company Supervisor

CRP