

27 - 30-039-07806
486 - 30-039-24980

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec. 23 Twp 30 Rng 6

Name of Well/Wells or Pipeline Serviced SAN JUAN 30-6 UNIT #27, #486

cps 234w

Elevation 6249' Completion Date 5/1/63 Total Depth 120' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used

N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 935 lbs.

Depths anodes placed: 95', 89', 83', 77', 71'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: qb #1

RECEIVED
MAY 31 1991
OIL CON. DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

DATE 1 May 1963

WELL NAME SAN JUAN 30-6 UNIT # 27 CPS NO. 234 W

LOCATION NE Sec. 23 T30N R6W

WORK ORDER NUMBER 184-40542-50-02

ANODE HOLE DEPTH 120

TOTAL DRILLING RIG TIME 6 Hrs.

DRILLING TIME FOR RECTIFIER POLE HOLE 0

TYPE AND SIZE BIT USED 6 1/4 Rock W.M. 3495X

NUMBER SACKS MUD USED 0

NUMBER SACKS LOST CIRCULATION MAT'L USED 0

ANODE DEPTHS #1 95, #2 89, #3 83, #4 77 #5 71

TOTAL LBS. COKE USED 935 11 Sacks

ANODE OUTPUTS 12.2 VOLTS, #1 3.0, #2 3.3, #3 3.5, #4 3.5 #5 3.9

TOTAL CIRCUIT RESISTANCE: VOLTS 11.8 AMPERES 7.4 OHMS 1.6

NUMBER FEET SURFACE CABLE ~~CONDUIT~~ 615

DRILLING LOG (ATTACH HERETO).

FORMATION LOG (ATTACH HERETO).


REMARKS: Static 9/8 BOR 600' South

Good All Rectifier 28V 12A Ser.# 62C 6335

ALL CONSTRUCTION COMPLETED

Dorrel
SIGNATURE

GROUND BED LAYOUT SKETCH



ORIGINAL & 1 COPY
ALL REPORTS

125'

DAILY DRILLING REPORT

DRILLING DEPARTMENT

DRILLING DEPARTMENT

LEASE *San Juan 30-6 Unit No. 27*

CONTRACTOR *E. Wilson*

RIG NO. *D-6*

REPORT NO.

DATE *April 30, 1954*

MORNING

DAYLIGHT

EVENING

Driller				Total Men in Crew				Driller				Total Men in Crew			
FROM	TO	FORMATION	WT. BIT	R.P.M.	WT. BIT	R.P.M.	FORMATION	FROM	TO	FORMATION	WT. BIT	R.P.M.	WT. BIT	R.P.M.	
0	20	<i>50' soft shale</i>	<i>100</i>		<i>100</i>		<i>50' soft shale</i>	<i>0</i>	<i>20</i>	<i>50' soft shale</i>	<i>100</i>		<i>100</i>		
20	35	<i>50' soft shale</i>	<i>100</i>		<i>100</i>		<i>50' soft shale</i>	<i>20</i>	<i>35</i>	<i>50' soft shale</i>	<i>100</i>		<i>100</i>		
35	50	<i>50' soft shale</i>	<i>100</i>		<i>100</i>		<i>50' soft shale</i>	<i>35</i>	<i>50</i>	<i>50' soft shale</i>	<i>100</i>		<i>100</i>		
BIT NO.				NO. DC				NO. DC				NO. DC			
SERIAL NO.				SIZE				SERIAL NO.				SIZE			
TYPE				DOWN ON KELLY				TYPE				DOWN ON KELLY			
MAKE				TOTAL DEPTH				MAKE				TOTAL DEPTH			
MUD RECORD				MUD ADDITIVES USED AND RECEIVED				MUD RECORD				MUD ADDITIVES USED AND RECEIVED			
Time				WT.				Time				WT.			
FROM				TO				FROM				TO			
TIME BREAKDOWN				TIME BREAKDOWN				TIME BREAKDOWN				TIME BREAKDOWN			
REMARKS				REMARKS				REMARKS				REMARKS			

*Total 118 T.M.P.
6 hrs*

*MOVED FROM 10:00 AM TO 12:30
STARTS 10:00 AM TO 12:30
12:30 - 1:00 PM
CLEANED OUT HOLES & THIS DOWN FINISHED HOLE 8:30 PM 11/21*

W. K. ...

SIGNED: Toolpusher

Company Supervisor