

44 - 30-039-07837

440 - 30-039-24243

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SW Sec. 15 Twp 30 Rng 6

Name of Well/Wells or Pipeline Serviced SAN JUAN 30-6 UNIT 344, #440

cps 221w

Elevation 6302' Completion Date 7/14/66 Total Depth 260' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used

N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. N/A

RECEIVED

MAY 31 1991

Depths gas encountered: N/A

OIL CON. DIV.
DIST. 3

Type & amount of coke breeze used: 3000 lbs.

Depths anodes placed: 210', 204', 198', 192', 186', 180', 174', 168', 160'

Depths vent pipes placed: 210' OF 3/4" HOSE

Vent pipe perforations: N/A

Remarks: gb #2

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

Date 7-14-66

Well Name <u>JJ 30-6 #44</u> (<u>Was Abraham 3B</u>)		CPS No. <u>221W</u>	
Location <u>JW 15-30-6</u>		Work Order No. <u>184-53536-SO-20</u>	
Anode Hole Depth <u>260</u>	Total Drilling Rig Time <u>22 Hrs</u>	Type & Size Bit Used <u>6 1/4" - 54895 - 260'</u>	No. Sacks Mud Used <u>1</u>
No. Sacks Lost Circulation Mat'l Used <u>1</u>	Anode Depth		
	#1 <u>210</u>	#2 <u>204</u>	#3 <u>198</u>
	#4 <u>192</u>	#5 <u>186</u>	#6 <u>180</u>
Total Lbs. Coke Used <u>3000</u>	Anode Output (Volts)		
	#1 <u>2.2</u>	#2 <u>2.7</u>	#3 <u>2.5</u>
	#4 <u>2.9</u>	#5 <u>3.0</u>	#6 <u>2.9</u>
Total Circuit Resistance	No. Ft. Surface Cable Conduit		
Volts <u>11.7</u>	Amps <u>7.2</u>	Ohms <u>1.62</u>	<u>2022' on Anodes 183 Surface 2205 TOTAL</u>

Drilling Log (Attach Hereto) ☐

7. <u>1.74</u>	8. <u>1.68</u>	9. <u>1.60</u>
7. <u>2.4</u>	8. <u>2.8</u>	9. <u>2.5</u>

Remarks:

3/4" Hose to No. 1 Anode - 15 lbs Chemical Circ thru G.B.

All Construction Completed

Harrel
(Signature)

GROUND BED LAYOUT SKETCH



