

30-039-07879
30-039-24233

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SW Sec. 7 Twp 30 Rng 6

Name of Well/Wells or Pipeline Serviced SAN JUAN 30-6 UNIT #88, #450

cps 154w

Elevation 6386' Completion Date 9/28/67 Total Depth 310' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. 165'

RECEIVED

MAY 31 1991

Depths gas encountered: N/A

OIL CON. DIV
DIST. 3

Type & amount of coke breeze used: 6000 lbs.

Depths anodes placed: 281', 275', 261', 255', 249', 198', 192', 186'

Depths vent pipes placed: 281' OF 3/4" HOSE

Vent pipe perforations: 210'

Remarks: qb #2

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

Ported

1188
4 1/2' Rock = 50'
4 3/4" #56 = 160'

No 2 GB

Date 9-28-67

Well Name SD 30-6 No. 88			CPS No. 154W		
Location SW 7-30-6			Work Order No. 184-20029-50-20		
Anode Hole Depth 310	Total Drilling Rig Time 33 1/2 Hrs	Type & Size Bit Used 19698 = 20 7 7/8 - 899446 = 290		No. Sacks Mud Used 1	
No. Sacks Lost Circulation Mat'l Used 1	Anode Depth				
	# 1 281	# 2 275	# 3 261	# 4 255	# 5 249 # 6 198
Total Lbs. Coke Used 6000	Anode Output (Volts)				
	# 1 2.9	# 2 3.1	# 3 2.9	# 4 3.5	# 5 3.5 # 6 3.0
Total Circuit Resistance Volts 12.6	Amps 9.3	Ohms 1.35	No. Ft. Surface Cable Conduit 2057 Anodes, 120 Surface = 2177		
Drilling Log (Attach Hereto) <input type="checkbox"/>	7 192	8 186			
Remarks:	7 3.3	8 3.7			


3/4" Hose to No. 1 Anode, Perforated 210'
15 lbs Barafos Circ. Thru. Hole

All Construction Completed

Amels

(Signature)

GROUND BED LAYOUT SKETCH



LEASE: Block 56 - 160-43 WELL NO: 15412 CONTRACTOR: Wannell Drilling RIG NO: 1198 DATE: 5/10/61 REPORT NO: 19

MORNING

DAYLIGHT

EVENING

MORNING				DAYLIGHT				EVENING			
Total Men In Crew				Total Men In Crew				Total Men In Crew			
Driller	FROM	TO	FORMATION	Driller	FROM	TO	FORMATION	Driller	FROM	TO	FORMATION
	WT-BIT	R.P.M.			WT-BIT	R.P.M.			WT-BIT	R.P.M.	
	0	80	110		235	265	SSH				
	80	80	SSH		265	290	SH				
	80	140	SSH		290	310	SSH				
	1-1/2	235									

BIT NO.	NO. DC	SIZE	LENG.	BIT NO.	NO. DC	SIZE	LENG.	BIT NO.	NO. DC	SIZE	LENG.
899446	2	90		19698	20						

TYPE	NO. DC	SIZE	LENG.	TYPE	NO. DC	SIZE	LENG.	TYPE	NO. DC	SIZE	LENG.
72											

MAKE	MUD RECORD	MUD, ADDITIVES USED AND RECEIVED	MAKE	MUD RECORD	MUD, ADDITIVES USED AND RECEIVED	MAKE	MUD RECORD	MUD, ADDITIVES USED AND RECEIVED

FROM	TO	TIME BREAKDOWN	FROM	TO	TIME BREAKDOWN	FROM	TO	TIME BREAKDOWN

REMARKS -
 9-22-67 Drill 160' with 4 3/4" mud + 1 1/2" bit getting at 100'
 9-24-67 Drilling 600' around log at 230' depth of 100' & bit circulating depth at 1200'
 9-26-67 Drilling 600' around log at 1700' depth of 135' bit run at 500'
 9-27-67 Drilling 600' around log at 100' depth of 150' bit run at 509' at 509' at 509' at 509'
 9-28-67 Drilling 600' around log at 100' depth of 100' bit run at 1030'

SIGNED _____
Toolpusher

Company Supervisor

Handwritten Signature