

1- 30-045-09427  
2- 30-045-21095  
4E- 30-045-26608

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS  
NORTHWESTERN NEW MEXICO  
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Units SW Sec. 13 Twp 30 Rng 10

Name of Well/Wells or Pipeline Serviced PIERCE A #1, #2, #4E

cps 257w

Elevation 6391' Completion Date 5/15/63 Total Depth 280' Land Type\* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used  
N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 2125 lbs.

Depths anodes placed: 255', 243', 237', 231', 225', 219', 52'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: gb #1

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

\*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.  
If Federal or Indian, add Lease Number.

RECEIVED  
MAY 31 1991  
OIL CON. DIV.  
DIST. 3

WELL CASING  
CATHODIC PROTECTION CONSTRUCTION REPORT  
DAILY LOG

DATE 5-15-63

WELL NAME Pierce #1-A

CPS NO. 257W

LOCATION 13-30N-10W

WORK ORDER NUMBER 184-40542-50-02

ANODE HOLE DEPTH 280'

TOTAL DRILLING RIG TIME 9 hrs

DRILLING TIME FOR RECTIFIER POLE HOLE 0

TYPE AND SIZE BIT USED \_\_\_\_\_

NUMBER SACKS MUD USED 2

NUMBER SACKS LOST CIRCULATION MAT'L USED 0

ANODE DEPTHS #1 255', #2 243', #3 237', #4 231 5215 6 219' 7 52'

TOTAL LBS. COKE USED 2125 lbs

ANODE OUTPUTS 12 VOLTS, #1 1.3, #2 1.6, #3 1.9, #4 2.2 5215 6 219' 7 52'

TOTAL CIRCUIT RESISTANCE: VOLTS 11.0 AMPERES 2.2 OHMS 1.53

NUMBER FEET SURFACE CABLE ~~CONDUCT~~ 349'

DRILLING LOG (ATTACH HERETO).

FORMATION LOG (ATTACH HERETO).

REMARKS: Static Gs = 77 R 600' NW


Installed Good-All Rect 28V 12A

Serial # = 62C6171

ALL CONSTRUCTION COMPLETED

E. Paulik  
SIGNATURE

GROUND BED LAYOUT SKETCH



ORIGINAL & 1 COPY  
ALL REPORTS

DAILY DRILLING REPORT

LEASE Pierce WELL NO. # 1-A CONTRACTOR Morrow RIG NO. \_\_\_\_\_ REPORT NO. \_\_\_\_\_ DATE 7/1 1976

MORNING					DAYLIGHT					EVENING				
Driller		Total Men In Crew			Driller		Total Men In Crew			Driller		Total Men In Crew		
FROM	TO	FORMATION	WT-BIT	R.P.M.	FROM	TO	FORMATION	WT-BIT	R.P.M.	FROM	TO	FORMATION	WT-BIT	R.P.M.
0	20	Sand												
		Mud at 30												
20	350	Sand												

BIT NO.		NO. DC	SIZE	LENG.	BIT NO.		NO. DC	SIZE	LENG.	BIT NO.		NO. DC	SIZE	LENG.
SERIAL NO.		STANDS			SERIAL NO.		STANDS			SERIAL NO.		STANDS		
SIZE		SINGLES			SIZE		SINGLES			SIZE		SINGLES		
TYPE		DOWN ON KELLY			TYPE		DOWN ON KELLY			TYPE		DOWN ON KELLY		
MAKE		TOTAL DEPTH			MAKE		TOTAL DEPTH			MAKE		TOTAL DEPTH		

MUD RECORD			MUD, ADDITIVES USED AND RECEIVED			MUD RECORD			MUD, ADDITIVES USED AND RECEIVED			MUD RECORD			MUD, ADDITIVES USED AND RECEIVED		
Time	Wt.	Vis.	Time	Wt.	Vis.	Time	Wt.	Vis.	Time	Wt.	Vis.	Time	Wt.	Vis.	Time	Wt.	Vis.
			17 sacks mud														
			1 1/2 sacks paper														

FROM	TO	TIME BREAKDOWN	FROM	TO	TIME BREAKDOWN	FROM	TO	TIME BREAKDOWN

REMARKS -	REMARKS -	REMARKS -

SIGNED: Toolpusher \_\_\_\_\_ Company Supervisor \_\_\_\_\_