

E

(Submit 3 copies to OCD Aztec Office)

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

8-6-87
computer

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

Drilling Log (Attach Hereto) ☐

meter well: 95-76801 Completion Date 7-18-87

CPS #	Well Name, Line or Plant	Work Order #	Static:	Ins. Union Check
1896-W	S.J. 29-7 # 80-A		.82 SW	☒ Good ☐ Bad
Location	Anode Size	Anode Type	Size Bit	
C 9-29-7	2" x 60"	Duriron	12 1/4"	
Depth Drilled	Depth Logged	Drilling Rig Time	Total Lbs. Coke Used	Lost Circulation Mat'l Used
				No. Sacks Mud Used
Anode Depth				
# 1 50	# 2 40	# 3 40	# 4 40	# 5 40
# 6 40	# 7 40	# 8 40	# 9 40	# 10 40
Anode Output (Amps)				
# 1 5.2	# 2 3.8	# 3 3.6	# 4 3.5	# 5 2.7
# 6 2.9	# 7 2.7	# 8 2.8	# 9 2.5	# 10 2.6
Anode Depth				
# 11	# 12	# 13	# 14	# 15
# 16	# 17	# 18	# 19	# 20
Anode Output (Amps)				
# 11	# 12	# 13	# 14	# 15
# 16	# 17	# 18	# 19	# 20
Total Circuit Resistance		No. 8 C.P. Cable Used		No. 2 C.P. Cable Used
Volts 10.9	Amps 11.3	Ohms 96		

Remarks:

changed 7/18 500'

GB. 5,100.⁰⁰
750.⁰⁰

Rectifier Size: 40 V 16 A
 Addn'l Depth: 0
 Depth Credit: 0
 Extra Cable: 30'
 Ditch & 1 Cable: 50'
 Ditch & 2 Cable: 345'
 20' Meter Pole: 1
 10' Stub Pole:

FUNCTION BOX

7.50
19.50
179.40
GROUND BED LAYOUT SKETCH
295.00
40.00

TAX 6391.40
319.57
6710.97

All Construction Completed

M. D. McFarland
(Signature)

4123

N

P.O. BOX 1359 - PHONE 334-6141
AZTEC, NEW MEXICO 87410

WELL NAME: S. J. 29-7	WELL NUMBER: 80A	SECTION:	TOWNSHIP:	RANGE:
--------------------------	---------------------	----------	-----------	--------

FEET:

HOLE MADE:

[illegible]

REMARKS: Drilled first 12 1/4 well for 8" casing bit
approx 100# gas. 3 days in a row. (Tried to blow down.
Moved tried to drill mud hole. ~~drilled~~ Lost hole
Brian L. Burge Driller Tool Dresser

Driller

Tool Dresser

Used 40 sacks ~~clay~~^{mud}. Drilled 10 surface
holes. Inspector conclusion.

