

30-039-22028

SS-21

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 Copies to OCD Aztec Office)

Operator: BLACKWOOD & NICHOLS CO. Location: Unit I, Sec. 21, Twp 30N, Rng 7W.

Name of Well/Wells or Pipeline Serviced NEBU 7A

Elevation 6720' Completion Date 7-10-93 Total Depth 277' Land Type* Surface: F Mineral: SF-079060

Casing, Sizes, Types & Depths 8-5/8" SCH 40 P.V.C. - 100', 7 7/8" OPEN HOLE

If Casing is cemented, show amounts & types used 22 sks Portland Zia I-II

If Cement or Bentonite Plugs have been placed, show depths & amounts used N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. Small amount 110' and 140', not enough for water sample

Depths gas encountered: N/A


Type & amount of coke breeze used: Asbury recarburized 3,400#

Depths anodes placed: 260' to 165'

Depths vent pipes placed: 277' to 4' above ground level

Vent pipe perforations: 277' to 97'

Remarks: Groundbed located 345° W of North & 201' from wellhead



If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

Signed by:

A handwritten signature in cursive script, appearing to read "James K. Allen".

Title: Operations Engineer

Date: 8/11/93

BLACKWOOD & NICHOLS
CATHODIC GROUND BED
DRILLERS REPORT

CP# SS2 WELL# NEP 7A

S 2 / T 20N R 1

DEPTH	STRATA	NOTES	DEPTH	STRATA	NOTES
10'	SAND STONE				
20'					
30'					
40'	SHALE				
50'					
60'					
70'	↓ CAVITY	NOT MUCH CUTTING AFTER CAVITY			
80'					
90'					
100					

DRILLER gerie mauting

INSPECTOR Joe Matyssek

SP# 55-21 WELL# NEBV # 7-A

F S 21 T 20 R 7

RILLER 

INSPECTOR Mary D. McInland