

30-045-10127

P-17


## DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS

NORTHWESTERN NEW MEXICO

(Submit 3 Copies to OCD Aztec Office)

Operator: BLACKWOOD & NICHOLS CO. Location: Unit P, Sec. 36, Twp 31N, Rng 8W.Name of Well/Wells or Pipeline Serviced NEBU 40Elevation 6400' Completion Date 7-26-93 Total Depth 285' Land Type\* Surface: S Mineral: E-292-9Casing, Sizes, Types & Depths 8-5/8" SCH 40 P.V.C. - 100', 7 7/8" OPEN HOLE.If Casing is cemented, show amounts & types used 20 sks Portland Zia I-IIIf Cement or Bentonite Plugs have been placed, show depths & amounts used N/A

Depths &amp; thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. No water for sample.Depths gas encountered: N/AType & amount of coke breeze used: 64 sx Asbury recarburized flo-cokeDepths anodes placed: 138' - 264'Depths vent pipes placed: 280' to 4' above ground levelVent pipe perforations: 100' to 280'Remarks: Groundbed located 190' N 70° E of NEBU 40A

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

\*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.

If Federal or Indian, add Lease Number.

Signed by: James K. AllenTitle: Operations EngineerDate: 8/11/93

# BLACKWOOD & NICHOLS CATHODIC GROUND BED DRILLERS REPORT

CP# D-17 WELL# NEBU 40A

S 36 T 31N R 21

[illegible]

DRILLER Jesse Murtong

INSPECTOR J. M. [Signature]

# BLACKWOOD & NICHOLS CATHODIC GROUND BED DRILLERS REPORT

2# P-17 WELL# NEBIA # 40A.

S 36 T 31 R 07

[illegible]

RILLER

INSPECTOR