#4A/30-039-21698

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS

NORTHWESTERN NEW MEXICO

(Submit 3 Copies to OCD Aztec Office)

Operator: <u>BLACKWOOD & NICHOLS CO.</u> Location: Unit <u>D</u> , Sec. <u>21</u> , Twp <u>30N</u> , Rng <u>7W</u> .
Name of Well/Wells or Pipeline Serviced NEBU 505, 4A
Elevation 6230' Completion Date 7-22-93 Total Depth 291' Land Type* Surface: F Mineral: SF-079060
Casing, Sizes, Types & Depths 8-5/8" SCH 40 P.V.C 100', 7 7/8" OPEN HOLE
If Casing is cemented, show amounts & types used 20 sks Portland Zia I-II
If Cement or Bentonite Plugs have been placed, show depths & amounts usedN/A
Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. 103' Damp, 107' 1 Bbl P/min.
No water sample. No water sample. 103' Damp, 107' I Bbl P/min.
Depths gas encountered: N/A Aug 61993
Type & amount of coke breeze used: Loresco & Asbury 3800# Depths anodes placed: 132' to 259'
Depths anodes placed: 132' to 259'
Depths vent pipes placed: 291' to 4' above ground level
Vent pipe perforations: 290' to 110'
Remarks: Groundbed located 275° SW of North and 307' from NEBU 505 wellhead.
If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.

Signed by: Carry K. all

Title: Operations Engineer Date: 8/11/93

BLACKWOOD & NICHOLS CATHODIC GROUND BED DRILLERS REPORT

OP#55/5 WELL# NER 4A +505

s2/ T30N R/W

>E #[](2) / O	WELL# AFIS	5 <u>6-1</u> 1 <u>50/4</u> R/4/			
DEPTH	STRATA	NOTES	DEPTH	STRATA	NOTES
5'				-	
10'	-				
15'	<u> </u>				
20' 20' 30' 35'					
J-2.					
301					
351	<u> </u>				
14.5					
30					
27					
15-1	7				
171					
1651 1701 1757				. •	
Ph'			,		`
051	M				
051 051	77				
17:20	2				
100					
	· · · · · · · · · · · · · · · · · · ·				
			<u> </u>		

RILLER gene muriting

INSPECTOR ON Mortunal

2P#<u>95-15</u> WELL# NEBIL # 505+ =4A

s21 T 30 R7

:P# <u>♥८/ 1 </u>) WELL# <u> V (~(°)</u>	S_Z T_50_R/			
DEPTH	STRATA	NOTES	DEPTH	STRATA	NOTES
0-100	(asing	, 1	,		
100-130	Grey Song	Struc (Damp@130')			
130-140	brug Shan	1 e 1			
140-155	Grey Sa	rastona (natra @ 155'	1)		
155-190	Grey Sha	/4,			
190-220	Gray San	dsjone			
220-255	Grey She	10			
255-29/	Grey Say	dstone			
					,
 			ı,		
					,
	!				
•	1				
	!				

DRILLER 97

INSPECTOR

TOR MDMI,