

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 Copies to OCD Aztec Office)

MD-7

Operator: BLACKWOOD & NICHOLS CO. Location: Unit M, Sec. 7, Twp 31N, Rng 6W.

Name of Well/Wells or Pipeline Serviced NEBU 400

30-045-26900

Elevation 6520' Completion Date 8-3-93 Total Depth 410' Land Type* Surface: F Mineral: SF-078988

Casing, Sizes, Types & Depths 8-5/8" SCH 40 P.V.C. - 100', 7-7/8" Open Hole

If Casing is cemented, show amounts & types used 20 sks Portland Zia I-II - 90# ea.

If Cement or Bentonite Plugs have been placed, show depths & amounts used N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. Water at 330'. Damp at 245'. Not enough for a sample.

Depths gas encountered: N/A

Type & amount of coke breeze used: 112 sx - Asbury recarburized Flo-Coke

Depths anodes placed: 280' - 375' - 86'

Depths vent pipes placed: 410' to 4' above ground level

Vent pipe perforations: 110' - 410'

Remarks: Ground bed is located 110' S 28° E of NEBU 400.

RECEIVED
SEP 16 1993
OIL CON. DIV.
DIST. 2

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

Signed by: James K. Allen

Title: Operations Engineer

Date: 8/27/93

BLACKWOOD & NICHOLS CATHODIC GROUND BED DRILLERS REPORT

MD-7 WELL# NEBU#400

S 7 T 31 R 6

[illegible]

ELLER George Matthews

INSPECTOR Jae Matyssek

BLACKWOOD & NICHOLS CATHODIC GROUND BED DRILLERS REPORT

CP# MD-7 WELL# NEBU#400

S 7 T 31 R

[illegible]

DRILLER 

INSPECTOR J.E.