

## DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS


SS-1

NORTHWESTERN NEW MEXICO  
(Submit 3 Copies to OCD Aztec Office)

4259

Operator: BLACKWOOD & NICHOLS CO. Location: Unit E, Sec. 13, Twp 30N, Rng 8W.Name of Well/Wells or Pipeline Serviced NEBU 5A30-045-22043Elevation 5700' Completion Date 12-9-93 Total Depth 195' Land Type\* Surface: F Mineral: SF-079511Casing, Sizes, Types & Depths 8-5/8" SCH 40 P.V.C. - 100'If Casing is cemented, show amounts & types used 20 sks Portland Zia I-IIIf Cement or Bentonite Plugs have been placed, show depths & amounts used N/A

Depths &amp; thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. 103' - Standing waterDepths gas encountered: 140'Type & amount of coke breeze used: Loresco 1,900#Depths anodes placed: 107' - 179' (10)Depths vent pipes placed: Bottom to 4' Above Ground LevelVent pipe perforations: Bottom - 120'Remarks: Groundbed located 125' North of NEBU #5A wellhead.

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

\*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.

If Federal or Indian, add Lease Number.

Signed by: James K. AllenTitle: Operations EngineerDate: 2/3/94

BLACKWOOD & NICHOLS  
CATHODIC GROUND BED  
DRILLERS REPORT

WELL# NEBw-5A

S 13 T 30-08.

[illegible]

ER Mark Bailey

INSPECTOR J.D.E.

# BLACKWOOD & NICHOLS CATHODIC GROUND BED DRILLERS REPORT

55-1 WELL# N.E. B.U. # 5-A

F S 13 T 30-08

[illegible]

LLER.

INSPECTOR