

4250

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS


MB-11

NORTHWESTERN NEW MEXICO
(Submit 3 Copies to OCD Aztec Office)

30-045-27724

Operator: BLACKWOOD & NICHOLS CO. Location: Unit N, Sec. 27, Twp 31N, Rng 7W.Name of Well/Wells or Pipeline Served NEBU 494Elevation 6180' Completion Date 8-25-93 Total Depth 290' Land Type* Surface: F Mineral: SF-079003Casing, Sizes, Types & Depths 8-5/8" SCH 40 P.V.C. - 100', 7-7/8" Open HoleIf Casing is cemented, show amounts & types used 20 sks Portland Zia I-II - 90# ea.If Cement or Bentonite Plugs have been placed, show depths & amounts used N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. Water from 160' while drilling.Depths gas encountered: N/AType & amount of coke breeze used: 60 sx Asbury Flo-cokeDepths anodes placed: 145' - 243'Depths vent pipes placed: 290' to 4' above ground levelVent pipe perforations: 110' - 290'Remarks: Ground bed is located 185' N 93° W of NEBU #494. WELLHEAD

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

Signed by: James K. AllenTitle: Operations Engineer Date: 11/19/93

BLACKWOOD & NICHOLS CATHODIC GROUND BED DRILLERS REPORT

#MB-11 WELL# NERB/449 494

S 27 T 31/1 R

[illegible]

LLER JOSE MARQUEZ

INSPECTOR Joe Matyssek

DRILLERS REPORT

WELL# NEBU# 449494

S 27 T 31

[illegible]

LER

INSPECTOR