

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS  
NORTHWESTERN NEW MEXICO  
(Submit 3 Copies to OCD Aztec Office)

ME-6

Operator: BLACKWOOD & NICHOLS CO. Location: Unit D, Sec. 20, Twp 31N, Rng 6W.

Name of Well/Wells or Pipeline Served NEBU 500

30-045-27687

Elevation 6360 Completion Date 7-29-93 Total Depth 430' Land Type\* Surface: F Mineral: SF-079045

Casing, Sizes, Types & Depths 8-5/8" SCH 40 P.V.C. - 100', 7-7/8" Open Hole

If Casing is cemented, show amounts & types used 20 sks Portland Zia I-II - 90# ea.

If Cement or Bentonite Plugs have been placed, show depths & amounts used N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. No water sample.

Depths gas encountered: N/A


Type & amount of coke breeze used: 120 sx Asbury Flo-Coke.

Depths anodes placed: 200' - 403'

Depths vent pipes placed: 430' to 4' above ground level

Vent pipe perforations: 430' - 130'

Remarks: Ground bed is located 135' S 61° W of NEBU #500.



If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

\*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.

If Federal or Indian, add Lease Number.

Signed by: James K. Allen

Title: Operations Engineer

Date: 8/27/93

# BLACKWOOD & NICHOLS CATHODIC GROUND BED DRILLERS REPORT

SP# ME-6 WELL# NERU 500

S 20 T 31N R 66

[illegible]

RILLER Jerre Muntz

INSPECTOR Joe Matychuk

# BLACKWOOD & NICHOLS CATHODIC GROUND 'BED DRILLERS REPORT'

# ME-6 WELL# NEBU-500

S 20 T 31 N R 66

[illegible]

ILLER

INSPECTOR