

38-039-07643

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS  
NORTHWESTERN NEW MEXICO  
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit N Sec. 12 Twp 29 Rng 7

Name of Well/Wells or Pipeline Serviced SAN JUAN 29-7 UNIT #37

cps 312w

Elevation 6290' Completion Date 3/5/63 Total Depth 120' Land Type\* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used  
N/A

Depths & thickness of water zones with description of water when possible:  
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A


Type & amount of coke breeze used: 850 lbs.

Depths anodes placed: 108', 100', 94', 88', 82'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: qb #1



If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

\*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.  
If Federal or Indian, add Lease Number.

9/4

WELL CASING  
CATHODIC PROTECTION CONSTRUCTION REPORT  
DAILY LOG

DATE 3-5-63

WELL NAME SAN JUAN 29-7 #37

CPS NO. 312W

LOCATION 12 - 29N - 7W

WORK ORDER NUMBER 184 - 40542 - 50 - 02

ANODE HOLE DEPTH 120

TOTAL DRILLING RIG TIME 4125

DRILLING TIME FOR RECTIFIER POLE HOLE 0

TYPE AND SIZE BIT USED \_\_\_\_\_

NUMBER SACKS MUD USED 0

NUMBER SACKS LOST CIRCULATION MAT'L USED 0

ANODE DEPTHS #1 108, #2 100', #3 94', #4 88' 5.82'

TOTAL LBS. COKE USED 850 LBS

ANODE OUTPUTS 12 VOLTS, #1 4.0, #2 4.7, #3 4.1, #4 3.3 5.3.3

TOTAL CIRCUIT RESISTANCE: VOLTS 11.7 AMPERES 9 OHMS 1.3

NUMBER FEET SURFACE CABLE CONDUIT 417'

DRILLING LOG (ATTACH HERETO).


FORMATION LOG (ATTACH HERETO).

REMARKS: Static  $\frac{V}{I} = .68R$  600' S

ALL CONSTRUCTION COMPLETED

E. P. Pautsch  
SIGNATURE

GROUND BED LAYOUT SKETCH



ORIGINAL & 1 COPY  
ALL REPORTS

DAILY DRILLING REPORT

LEASE SAN JUAN 29-7 WELL NO. 37 CONTRACTOR L.E. WILSON RIG NO. D-2 REPORT NO. 2-5 DATE 1963

MORNING						DAYLIGHT						EVENING					
Driller			Total Men In Crew			Driller			Total Men In Crew			Driller			Total Men In Crew		
FROM	TO	FORMATION	WT. BIT	R.P.M.		FROM	TO	FORMATION	WT. BIT	R.P.M.		FROM	TO	FORMATION	WT. BIT	R.P.M.	
0	36	SANDY CLAY	61500 XX														
36	75	SANDSTONE	"														
75	180	Shale	"														
BIT			NO. DC			NO. DC			NO. DC			NO. DC			NO. DC		
SERIAL NO.			SIZE			SERIAL NO.			SIZE			SERIAL NO.			SIZE		
SIZE			STANDS			STANDS			STANDS			STANDS			STANDS		
TYPE			SINGLES			SINGLES			SINGLES			SINGLES			SINGLES		
DOWN ON KELLY			DOWN ON KELLY			DOWN ON KELLY			DOWN ON KELLY			DOWN ON KELLY			DOWN ON KELLY		
MAKE			TOTAL DEPTH			MAKE			TOTAL DEPTH			MAKE			TOTAL DEPTH		
MUD RECORD			MUD, ADDITIVES USED AND RECEIVED			MUD RECORD			MUD, ADDITIVES USED AND RECEIVED			MUD RECORD			MUD, ADDITIVES USED AND RECEIVED		
Time			Time			Time			Time			Time			Time		
WT.			WT.			WT.			WT.			WT.			WT.		
Vis.			Vis.			Vis.			Vis.			Vis.			Vis.		
FROM			TO			FROM			TO			FROM			TO		
TIME BREAKDOWN			TIME BREAKDOWN			TIME BREAKDOWN			TIME BREAKDOWN			TIME BREAKDOWN			TIME BREAKDOWN		

REMARKS -

1 flood water

Rig Time 4 hrs

SIGNED: Toolpusher \_\_\_\_\_ Company Supervisor COPE