

4246

30-039-07710

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL INC. Location: Unit NE Sec. 5 Twp 29 Rng 7

Name of Well/Wells or Pipeline Serviced SAN JUAN 29-7 UNIT #90
cps 2122w

Elevation 6121' Completion Date 3/19/63 Total Depth 115' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 765 lbs.

Depths anodes placed: 98', 92', 86', 80', 74', 65'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: (gb #1) RETIRED.

RECEIVED
MAY 31 1991
ON COM. DIV.
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

DATE 3-19-63

WELL NAME Hodge #1 29-7#90

CPS NO. 297W 2122

LOCATION S-29N-7W

WORK ORDER NUMBER 184-40542-50-02

ANODE HOLE DEPTH 115'

TOTAL DRILLING RIG TIME 4 hrs

DRILLING TIME FOR RECTIFIER POLE HOLE 0

TYPE AND SIZE BIT USED _____

NUMBER SACKS MUD USED 0

NUMBER SACKS LOST CIRCULATION MAT'L USED 0

ANODE DEPTHS #1 98', #2 92', #3 86', #4 80' 5.74' 6.65'

TOTAL LBS. COKE USED 765 lbs

ANODE OUTPUTS 12 VOLTS, #1 2.6, #2 2.6, #3 3.1, #4 2.8 525625

TOTAL CIRCUIT RESISTANCE: VOLTS 11.7 AMPERES 6.8 OHMS 1.72

NUMBER FEET SURFACE CABLE CONDUIT 418'

DRILLING LOG (ATTACH HERETO).


FORMATION LOG (ATTACH HERETO).

REMARKS: Static $\frac{9}{8} = .75 R$ 600' E

ALL CONSTRUCTION COMPLETED

P. Paul

GROUND BED LAYOUT



ORIGINAL & 1 COPY
ALL REPORTS

LEASE Hodge WELL NO. 1 CONTRACTOR LE. Wilson RIG NO. D-2 REPORT NO. 8-19 DATE 8-19 1962

MORNING

DAYLIGHT

EVENING

Driller				Total Men In Crew				Driller				Total Men In Crew				Driller				Total Men In Crew															
FROM	TO	FORMATION	WT. BIT	R.P.M.	NO. DC	SIZE	LENG.	NO. DC	SIZE	LENG.	NO. DC	SIZE	LENG.	NO. DC	SIZE	LENG.	NO. DC	SIZE	LENG.																
0	33	SS																																	
33	47	SHALE																																	
47	70	SS																																	
70	115	SHALE																																	
TYPE <u>ROCK</u>				DOWN ON KELLY				TYPE				DOWN ON KELLY				TYPE				DOWN ON KELLY															
MAKE <u>Hylas</u>				TOTAL DEPTH <u>115'</u>				MAKE				TOTAL DEPTH				MAKE				TOTAL DEPTH															
MUD RECORD				MUD ADDITIVES USED AND RECEIVED				MUD RECORD				MUD ADDITIVES USED AND RECEIVED				MUD RECORD				MUD ADDITIVES USED AND RECEIVED															
Time	WT.	VIS.																																	
FROM	TO	TIME BREAKDOWN																																	
																				Rig Time 4 hr.															
REMARKS -				REMARKS -				REMARKS -				REMARKS -				REMARKS -																			
1000 WATER																																			

SIGNED: Toolpusher

Company Supervisor

[Signature]