

30-039-07612 P+A

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO

(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit Sec. 15 Twp 29 Rng 7

Name of Well/Wells or Pipeline Serviced LUSE #1

cps 291

Elevation N/A Completion Date 2/27/63 Total Depth 300' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 2840 lbs.

Depths anodes placed: 281', 275', 269', 263', 257'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: qb #1 HOLE WASHED OUT LARGE FIRST 20' - 30'

ABANDONED

RECEIVED
MAY 31 1991
OIL CON. DIV
DIST. ?

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

DATE 2-27-63

WELL NAME Luse #1 CPS NO. 291W

LOCATION 15-29N-7W

WORK ORDER NUMBER 184-40542-50-02

ANODE HOLE DEPTH 300'

TOTAL DRILLING RIG TIME 16 hrs

DRILLING TIME FOR RECTIFIER POLE HOLE _____

TYPE AND SIZE BIT USED _____

NUMBER SACKS MUD USED 0

NUMBER SACKS LOST CIRCULATION MAT'L USED 0

ANODE DEPTHS #1 281', #2 275', #3 269', #4 263' 5. 257'

TOTAL LBS. COKE USED 2840 lbs

ANODE OUTPUTS 12 VOLTS, #1 1.7, #2 2.3, #3 2.4, #4 2.5 5. 2.0 6. 1.9

TOTAL CIRCUIT RESISTANCE: VOLTS 11.3 AMPERES 6.2 OHMS 1.82 Ω

NUMBER FEET SURFACE CABLE CONDUIT 520'

DRILLING LOG (ATTACH HERETO).

FORMATION LOG (ATTACH HERETO).


REMARKS: Static FS = 66A 500' N

Hole washed out large first 20'-30'

ALL CONSTRUCTION COMPLETED

P. C. C. C.
SIGNATURE

GROUND BED LAYOUT SKETCH



ORIGINAL & 1 COPY
ALL REPORTS

Plugged & Abandoned

2/26/72

DAILY DRILLING REPORT

LEASE **Luse** WELL NO. **1** CONTRACTOR **L.E. Whelan** RIG NO. **D-2** REPORT NO. DATE **2-26** 19**62**

MORNING										DAYLIGHT										EVENING									
Driller		Total Men In Crew		FORMATION		WT-BIT		R.P.M.		Driller		Total Men In Crew		FORMATION		WT-BIT		R.P.M.		Driller		Total Men In Crew		FORMATION		WT-BIT		R.P.M.	
FROM	TO									FROM	TO									FROM	TO								
0	26			SAND																									
26	254			SANDSTONE																									
254	300			SANDSTONE & SILTSTONE																									
BIT NO.				NO. DC		SIZE		LENG.		BIT NO.				NO. DC		SIZE		LENG.		BIT NO.				NO. DC		SIZE		LENG.	
SERIAL NO.		0726 X		STANDS						SERIAL NO.		1544 X		STANDS						SERIAL NO.				STANDS					
SIZE		1 1/2		SINGLES						SIZE		1 1/2		SINGLES						SIZE				SINGLES					
TYPE		Rock		DOWN ON KELLY						TYPE		Rock		DOWN ON KELLY						TYPE				DOWN ON KELLY					
MAKE		Rock		TOTAL DEPTH		300'				MAKE		Rock		TOTAL DEPTH						MAKE				TOTAL DEPTH					
MUD RECORD				MUD, ADDITIVES USED AND RECEIVED						MUD RECORD				MUD, ADDITIVES USED AND RECEIVED						MUD RECORD				MUD, ADDITIVES USED AND RECEIVED					
Time		WT. VIS.								Time		WT. VIS.								Time		WT. VIS.							
FROM		TO		TIME BREAKDOWN						FROM		TO		TIME BREAKDOWN						FROM		TO		TIME BREAKDOWN					