

4- 30-045-10754

22- 30-045-22070

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS  
NORTHWESTERN NEW MEXICO

(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec. 17 Twp 31 Rng 10

Name of Well/Wells or Pipeline Serviced SCOTT #4, #22

cps 441w

Elevation 6103' Completion Date 11/10/67 Total Depth 260' Land Type\* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used

N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. 170'

**RECEIVED**

**MAY 31 1991**

Depths gas encountered: N/A

Type & amount of coke breeze used: 2640 lbs.

**OIL CON. DIV**  
**DIST. 2**

Depths anodes placed: 246', 240', 234', 228', 222', 216', 210', 204'

Depths vent pipes placed: 246' OF 3/4" HOSE

Vent pipe perforations: 246'

Remarks: qb #3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

\*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.  
If Federal or Indian, add Lease Number.

4- 30-045-10754  
22- 30-045-22070

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS  
NORTHWESTERN NEW MEXICO  
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec.17 Twp31 Rng10

Name of Well/Wells or Pipeline Serviced SCOTT #4, #22

cps 441w

Elevation 6103' Completion Date 11/8/67 Total Depth 360' Land Type\* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used

N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. 160'

Depths gas encountered: N/A

Type & amount of coke breeze used: 1320 lbs.

Depths anodes placed: 265', 259', 253', 247', 241', 235', 150'

Depths vent pipes placed: 265' OF 3/4" HOSE

Vent pipe perforations: 265'

Remarks: gh #2 HOLE CAVED. COULD NOT GET coke to anodes. #7 ANODE STOPPED AT 150'

WOULD NOT GO UP OR DOWN. ABANDONED HOLE WITH ANODES IN PLACE.

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

\*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.  
If Federal or Indian, add Lease Number.

RECEIVED  
MAY 31 1991  
OIL CON. DIV.  
DIST. 3

4 - 30-045-10754  
22- 30-045-22670

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS  
NORTHWESTERN NEW MEXICO  
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit ne Sec. 17 Twp 31 Rng 10

Name of Well/Wells or Pipeline Serviced SCOTT #4, #22

cps 441w

Elevation 6103' Completion Date 7/18/63 Total Depth 195' Land Type\* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used  
N/A

Depths & thickness of water zones with description of water when possible:  
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: N/A

Depths anodes placed: 175', 165', 155', 145', 135', 125'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: qb #1 ANODES NOT INSTALLED UNTIL 7/16/65.

**RECEIVED**  
MAY 31 1991  
OIL CON. DIV.  
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

\*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.  
If Federal or Indian, add Lease Number.