

1437

30-045-25004

E

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL INC. Location: Unit P Sec. 23 Twp 30 Rng 13

Name of Well/Wells or Pipeline Serviced MADDOX FEDERAL D #1E
cps 6079w

Elevation N/A Completion Date 12/20/86 Total Depth 560' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. 280'

Depths gas encountered: N/A

Type & amount of coke breeze used: 1400 lbs.

Depths anodes placed: 540', 530', 520', 510', 500', 490', 480', 470', 460', 450'

Depths vent pipes placed: 560'

Vent pipe perforations: 300'

Remarks: gb #1

RECEIVED
MAY 31 1991
OIL CON. DIV.
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

BUR-E CORROSION SYSTEMS, INC.

P.O. BOX 1359 - PHONE 334-6141
AZTEC, NEW MEXICO 87410

Drilling Log (Attach Hereto). ☒

10079W

Completion Date December 20, 1986


Well Name Maddox Federal D#1-E		Location Union Texas Petroleum		P 23-30-13	
Type & Size Bit Used 6 & 3/4"				Work Order No.	
Anode Hole Depth 560'	Total Drilling Rig Time 8 Hrs.	Total Lbs. Coke Used 1400#	Lost Circulation Mat'l Used		No. Sacks Mud Used
Anode Depth					
#1 540	#2 530	#3 520	#4 510	#5 500	#6 490
#7 480	#8 470	#9 460	#10 450		
Anode Output (Amps)					
#1 4.3	#2 4.2	#3 4.3	#4 4.1	#5 4.2	#6 4.2
#7 4.1	#8 4.3	#9 4.3	#10 4.9		
Anode Depth					
#11	#12	#13	#14	#15	#16
#17	#18	#19	#20		
Anode Output (Amps)					
#11	#12	#13	#14	#15	#16
#17	#18	#19	#20		
Total Circuit Resistance		No. 8 C.P. Cable Used		No. 2 C.P. Cable Used	
Volts 12.0	Amps 25.6	Ohms 0.47	5400'		

Remarks: Water was standing at 280' when hole was logged. Used 560' of 1" vent pipe with 300' of perforations.

All Construction Completed

Cody Munkres
(Signature)

GROUND BED LAYOUT SKETCH



Aztec, New Mexico

COMPANY Union Texas Petroleum

DAILY DRILLING REPORT

December 20 1986

WELL NAME:	WELL NUMBER:	SECTION:	TOWNSHIP:	RANGE:
Maddox Federal	D 1-E	23	30	13
WATER AT		FEET	HOLE MADE:	
280' and 420'			560'	

DESCRIPTION OF FORMATION

[illegible]

REMARKS: Hole was making approx. 5 gallons of water per minute at 280'
and approx. 35 gallons per minute at 420'.

Driller

Driller Cody Munkres

Tool Dresser