

38 - 30-039-09110  
422- 30-039-24261

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS  
NORTHWESTERN NEW MEXICO  
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SW Sec. 27 Twp 30 Rng 7

Name of Well/Wells or Pipeline Serviced SAN JUAN 30-6 UNIT #38, #422

cps 282w

Elevation 6899 Completion Date 10/4/76 Total Depth 438' Land Type\* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used  
N/A

Depths & thickness of water zones with description of water when possible:  
Fresh, Clear, Salty, Sulphur, Etc. WET AT 130'

Depths gas encountered: N/A

Type & amount of coke breeze used: 30 SACKS

Depths anodes placed: 425', 390', 380', 370', 355'

Depths vent pipes placed: N/A

Vent pipe perforations: 230'

Remarks: gb #3 FIRST 4 ANODES RESPONDED. BELEIVE HOLE CAVED IN AT 140'. MAY BE NO  
COKE AROUND #5 ANODE.

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

\*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.  
If Federal or Indian, add Lease Number.

**R** E C O R D  
MAY 31 1991  
OIL CON. DIV.  
DIST. 3

38- 30-039-09110

422 - 30-039-24261

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS  
NORTHWESTERN NEW MEXICO

(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SW Sec. 27 Twp 30 Rng 7

Name of Well/Wells or Pipeline Serviced SAN JUAN 30-6 UNIT #38, #422

cps 282w

Elevation 6899' Completion Date 8/3/68 Total Depth 500' Land Type\* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used  
N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. 340' TO 360'

Depths gas encountered: N/A

Type & amount of coke breeze used: 4440 lbs.

Depths anodes placed: 475', 465', 433', 399', 393', 387', 381', 187'

Depths vent pipes placed: 465' OF 3/4" HOSE

Vent pipe perforations: 465'

Remarks: gb #2 HOLE CAVED. COULD NOT GET #8 ANODE DOWN TO DESIRED DEPTH. ALL ANODES ARE TIGHT. BELEIVED TO BE CAVED MATERIAL RATHER THAN COKE.

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

\*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.  
If Federal or Indian, add Lease Number.

RECEIVED  
MAY 31 1991  
OIL CON. DIV.  
DIST. 3

38- 30-039-09110  
422- 30-039-24261

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS  
NORTHWESTERN NEW MEXICO  
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SW Sec. 27 Twp 30 Rng 7

Name of Well/Wells or Pipeline Serviced SAN JUAN 30-6 UNIT #38, #422

cps 282w

Elevation 6899 Completion Date 3/26/63 Total Depth 140' Land Type\* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used

N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 935 lbs.

Depths anodes placed: 120', 114', 108', 94', 88'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: qb #1

RECEIVED

MAY 31 1991

OIL CON. DIV.  
DIST. 2

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

\*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.  
If Federal or Indian, add Lease Number.