91-30-039-07635 509-30-039-24293

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

Operator_	MERIDIAN OIL	Location:	Unit_A	Sec.16	Twp_29	Rng7
Name of N	Well/Wells or Pipeline	Serviced SAN JU	JAN 29-7 U	NIT #91,	#509	
					cps 294	4w
Elevatio	n <u>6276'</u> Completion Date <u>6</u> ,	/8/89 Total De	pth <u>485'</u>	Land	Type* <u> </u>	N/A
Casing, S	Sizes, Types & Depths_	N/A		,		
If Casino	g is cemented, show amo	ounts & types use	ed <u>N/A</u>			
If Cement	t or Bentonite Plugs h	ave been placed,	show de	oths &	amount	s used
Depths &	thickness of water zon	nes with descrip	tion of w	water w	hen po	ssible:
Fresh, C	lear, Salty, Sulphur, 1	Etc. 200'	(D)_[ECEI	ME	
				MAY31 1	991	<u> </u>
Depths ga	as encountered: N/A		OI		: 11	
Type & an	mount of coke breeze us	sed: N/A		DIST		
Depths ar	nodes placed: 435', 350'	, 344', 338', 320',	300', 290	', 280 <u>'</u> ,	270'	
Depths ve	ent pipes placed: 490	' OF 1" PVC VENT PIF	PE			
Vent pipe	e perforations: BO	TTOM 320'				
Remarks:_	gb #4			··· ··· ··· -		

^{*}Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.

91-30-039-07635 509-30-039-24293

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL	Location: UnitNE Sec.16 Twp 29 Rng7
Name of Well/Wells or Pipeline Service	ced SAN JUAN 29-7 UNIT #91, #509
	cps 294w
Elevation 6276 Completion Date 10/29/78	Total Depth 460' Land Type* N/A
Casing, Sizes, Types & Depths N/A	
If Casing is cemented, show amounts	& types used N/A
If Cement or Bentonite Plugs have bee	en placed, show depths & amounts used
Depths & thickness of water zones with	th description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc	210' & 360' DEGENVEM
Depths gas encountered: N/A	MAY 3 1 1991 U)
Type & amount of coke breeze used:	49 SACKS OIL CON. DIV
Depths anodes placed: 425', 415', 330',	320', 310', 300', 290', 280', 270', 260'
Depths vent pipes placed: 450' OF 1"	PVC VENT PIPE
Vent pipe perforations: 300'	· · · · · · · · · · · · · · · · · · ·
Remarks: gb #3	

^{*}Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.

91-30-039-07635 509-30-039-24293

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

Operator_	MERIDIAN OIL	Location:	Unit NE Sec. 1	6 Twp 29 Rng 7
Name of W	ell/Wells or Pipeline Servi	Lced SAN	JUAN 29-7 UNIT #	91, #509
				cps 294w
Elevation	6276' Completion Date 10/12/6	6_Total De	pth <u>560'</u> Lan	d Type* N/A
Casing, S.	izes, Types & Depths N/A			
If Casing	is cemented, show amounts	& types us	ed <u>N/A</u>	
If Cement	or Bentonite Plugs have be	een placed,	show depths	& amounts used
Depths &	thickness of water zones wi	th descrip	tion of water	when possible:
Fresh, Cle	ear, Salty, Sulphur, Etc	220'	(D) & 8 6	No.
			MAY 3 1	1991
Depths gas	s encountered: N/A			· -
	ount of coke breeze used:		D 100	
Depths and	odes placed: 334', 328', 322'	, 316', 310',	304', 298', 29	<mark>2', 286', 280', 27</mark> 4
Depths ver	nt pipes placed: 334' OF 3	/4" HOSE		
Vent pipe	perforations: 100'	· · · · · · · · · · · · · · · · · · ·		
Remarks:	gb #2			

^{*}Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.

91-30-039-07635 599-30-039-24293

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec 16 Twp 29 Rng7
Name of Well/Wells or Pipeline Serviced SAN JUAN 29-7 UNIT #91, #509
cps 294w
Elevation6276' Completion Date2/26/63 Total Depth310' Land Type* N/A
Casing, Sizes, Types & Depths N/A
If Casing is cemented, show amounts & types used N/A
If Cement or Bentonite Plugs have been placed, show depths & amounts used
Depths & thickness of water zones with description of water when possible: Fresh, Clear, Salty, Sulphur, Etc. N/A DEFT 1991
Depths gas encountered: N/A OII CON. DIV.) Type & amount of coke breeze used: 1955 lbs. DIST. 3
Depths anodes placed: 290', 284', 278', 272', 200', 136', 130'
Depths vent pipes placed: N/A
Vent pipe perforations: N/A
Remarks: gb #1

^{*}Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.