

1- 30045-09504
11- 30-045-21045
115- 30-045-21983

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit G Sec. 14 Twp 30 Rng 10
Name of Well/Wells or Pipeline Serviced GRAMBLING C #1,
GRAMBLING C #11, GRAMBLING C #11J cps 1w
Elevation 6387' Completion Date 8/25/88 Total Depth 440' Land Type* N/A
Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. 125'

Depths gas encountered: N/A
Type & amount of coke breeze used: N/A
Depths anodes placed: 395', 385', 365', 345', 270', 260', 250', 145', 135'
Depths vent pipes placed: 445 ft. of 1" pvc vent pipe.
Vent pipe perforations: bottom 340 ft. perforated.
Remarks: gb #3

RECEIVED

MAY 31 1991

OIL CON. DIST.

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

1- 30-045-09504
11- 30-045-21045
115- 30-045-21983

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec. 14 Twp 30 Rng 10

Name of Well/Wells or Pipeline Serviced GRAMBLING C #1,
GRAMBLING C #11, GRAMBLING C #11J cps 1w

Elevation 6387' Completion Date 6/10/64 Total Depth 350' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible.
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 26 SACKS

Depths anodes placed: 274', 268', 262', 256', 250', 244'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: qb #2 ANODES DID NOT RESPOND TO COKE, POSSIBLE CAVE IN, OR DEEP

BRIDGE. PUT WATER DOWN GROUND BED #1.

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

RECEIVED
MAY 31 1991
OIL CON. DIV
DIST. 2

1- 30-045-09504
11- 30-045-21045
115- 30-045-21983

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO

(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec. 14 Twp 30 Rng 10

Name of Well/Wells or Pipeline Serviced GRAMBLING C #1,

GRAMBLING C #11, GRAMBLING C #11J cps lw

Elevation 6387' Completion Date N/A Total Depth N/A Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: N/A

Depths anodes placed: N/A

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: gb #1

RECEIVED
MAY 31 1991
OIL CON. DIV.
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.