200 30-045- 26887

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS. NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL INC. Location: Unit H Sec. 36 Twp 31 Rng 10
Name of Well/Wells or Pipeline Serviced ATLANTIC D COM A #2, #200
cps 2086w
Elevation6640' Completion Date 1/31/89 Total Depth 500' Land Type* N/A
Casing, Sizes, Types & Depths N/A
If Casing is cemented, show amounts & types usedN/A
If Cement or Bentonite Plugs have been placed, show depths & amounts used
Depths & thickness of water zones with description of water when possible: Fresh, Clear, Salty, Sulphur, Etc. N/A DEGEIVE
Depths gas encountered: N/A MAY31 1994
Type & amount of coke breeze used: N/A OIL CON DIV
Depths anodes placed: 460', 446', 438', 430'
Depths vent pipes placed: N/A
Vent pipe perforations: 280'
Remarks: gb #5 DRILLED 500' gb#6, COULD NOT HOLD HOLE OPEN-ABANDONED.

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

^{*}Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.

DATA SHEET FOR DEEP GROUND_BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL INC. Location: Unit H Sec. 36 Twp 31 Rng 10
Name of Well/Wells or Pipeline Serviced ATLANTIC D COM A #2, #200
cps 2086w
Elevation 6640' Completion Date 1/31/89 Total Depth 500' Land Type* N/A
Casing, Sizes, Types & Depths N/A
If Casing is cemented, show amounts & types usedN/A
If Cement or Bentonite Plugs have been placed, show depths & amounts used N/A
Depths & thickness of water zones with description of water when possible: Fresh, Clear, Salty, Sulphur, Etc.
Depths gas encountered: N/A
Type & amount of coke breeze used: N/A MAY31 1991
Depths anodes placed: 455', 447', 439', 431', 423', 415' DIST. 3
Depths vent pipes placed: N/A
Vent pipe perforations: 280'
Remarks: gb #4

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

^{*}Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL INC.	Location:	Unit <u>H</u>	Sec. 36	Twp_31_Rng_10	
Name of Well/Wells or Pipeline Servi	cedATLANTI	C D COM	A #2, #2	00	
				cps 2086w	7
Elevation6640' Completion Date10/30/70	Total Dep	tń <u>620</u>	Land	Type* N/A	_
Casing, Sizes, Types & Depths	N/A				
If Casing is cemented, show amounts	types use	dN/A			<u>-</u>
If Cement or Bentonite Plugs have bee	en placed,	show de	pths &	amounts use	d —
Depths & thickness of water zones wit		ion of 20', 260'		when possibl	e:
			阿尼	PENVE	<u>.</u>
Depths gas encountered: N/A				V05	
Type & amount of coke breeze used:				CON. DI,	
Depths anodes placed: 575', 565', 530', 5	20', 510', 4	95', 425	1.	DIST. 3	
Depths vent pipes placed: N/A	<u> </u>				
Vent pipe perforations: N/A			1		
Remarks: gb #3					

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included

^{*}Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.

DATA SHEET FOR DEEP GROUND_BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL INC. Location: Unit H Sec. 36 Twp 31 Rng 10
Name of Well/Wells or Pipeline Serviced ATLANTIC D COM A #2, #200
cps 2086w
Elevation 6640' Completion Date 9/18/70 Total Depth 660' Land Type* N/A
Casing, Sizes, Types & Depths N/A
If Casing is cemented, show amounts & types usedN/A
If Cement or Bentonite Plugs have been placed, show depths & amounts used N/A
Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A
Depths gas encountered: N/A
Type & amount of coke breeze used: 75 SACKS
Depths anodes placed: 590', 580', 570', 535', 525', 515', 505', 495', 425', 415'
Depths vent pipes placed: N/A
Vent pipe perforations: N/A
Remarks: gb #2 ANODE #3, & # 8 SINGLE ALL OTHERS TAMDUM.

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

^{*}Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.

DATA SHEET FOR DEEP GROUND_BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL INC.	Location: Unit H Sec. 36 Twp 31 Rng 10
Name of Well/Wells or Pipeline Servi	ced ATLANTIC D COM A #2, #200
	cps 208 6w
Elevation 6640' Completion Date 6/6/63	Total Depth 160' Land Type* N/A
Casing, Sizes, Types & Depths	N/A
If Casing is cemented, show amounts	& types usedN/A
If Cement or Bentonite Plugs have be	en placed, show depths & amounts used
Depths & thickness of water zones wifresh, Clear, Salty, Sulphur, Etc	th description of water when possible: N/A
Depths gas encountered: N/A	
Type & amount of coke breeze used:	1300 lbs.
Depths anodes placed: 125', 119', 113',	107', 101'
Depths vent pipes placed: N/A	WAYS I ESI
Vent pipe perforations: N/A	
Remarks: gb #1	

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

^{*}Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.